

## ADMIN :

```
<?
include "../koneksi.php";
//$_jenis=$_REQUEST['asaltabel'];
$id=$_REQUEST['id'];
$table=$_REQUEST['table'];
$field=$_REQUEST['field'];
$next=$_REQUEST['next'];
$hapus= ("delete from $table where $field=$id");
$hasil= mysql_query($hapus);
if (!$hasil)
die("Gagal Hapus karena :".mysql_error());
else
echo "<script>alert('Data Berhasil Dihapus')</script>";
echo "<html><head><meta http-equiv='refresh' content='0;url=index.php?admin=$next'></head><body></body></html>";
?>
```

```
<?
include "../koneksi.php";
//$_jenis=$_REQUEST['asaltabel'];
$id=$_REQUEST['id'];
// $table=$_REQUEST['table'];
// $field=$_REQUEST['field'];
$next=$_REQUEST['next'];
$hapus= ("delete from member where id_member=$id");
$hasil= mysql_query($hapus);

$hapus2= ("delete from transaksi where id_member=$id");
$hasil2= mysql_query($hapus2);
if (!$hasil)
die("Gagal Hapus karena :".mysql_error());
else
echo "<script>alert('Data Berhasil Dihapus')</script>";
echo "<html><head><meta http-equiv='refresh' content='0;url=index.php?admin=$next'></head><body></body></html>";
?>
```

```
<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.html'></head><body></body></html>";
} else {
include "../koneksi.php";
?>
<html>
<head>
```

```

<link rel="stylesheet" type="text/css" href="file/style.css"
media="screen" />
<link rel="shortcut icon" href="images/logo.png" />
</head>
<body>
<?php
//echo (" <h1>Detail</h1>");
include "formattanggal.php";
$id=$_REQUEST['id'];
$query=mysql_query("SELECT * FROM pengiriman, kotamadya, kelurahan,
transaksi where pengiriman.no_nota=$id and
pengiriman.id_kelurahan=kelurahan.id_kelurahan and
transaksi.no_nota=pengiriman.no_nota and
kelurahan.id_kotamadya=kotamadya.id_kotamadya");
$no=1;
while($hasil=mysql_fetch_array($query)){
$ststuskonfirmasi= $hasil['status_byr'];
if($ststuskonfirmasi=='BELUM'){
    $tglkonfirmasi='-';
    $pesan='-' ;
    else{
        $tglkonfirmasi=konversi(date('d M Y H:i:s',
strtotime($hasil['tgl_konfirmasi']))));
        $pesan=$hasil[pesan];
    }
echo "
<h1>Detail Pengiriman </h1>
<table border='0' class='tableDetail'>
    <tr>
        <td width='180'>Waktu Pesan </td>
        <td width='25'>:</td>
        <td width='782' colspan='3'>".konversi(date('d M Y
H:i:s', strtotime($hasil['tgl_pesan'])))."</td>
    </tr>
    <tr>
        <td>No. Nota </td>
        <td>:</td>
        <td colspan='3'> $hasil[no_nota]</td>
    </tr>
    <tr>
        <td>Nama</td>
        <td>:</td>
        <td colspan='3'> $hasil[nama]</td>
    </tr>
    <tr>
        <td>Alamat</td>
        <td>:</td>
        <td colspan='3'> $hasil[alamat]</td>
    </tr>
    <tr>
        <td>Kelurahan</td>
        <td>:</td>

```

```

<td colspan='3'> $hasil[nama_kelurahan]</td>
</tr>
<tr>
<td>Kotamadya</td>
<td>:</td>
<td colspan='3'> $hasil[nama_kotamadya]</td>
</tr>
<tr>
<td>No. Telpon</td>
<td>:</td>
<td colspan='3'> $hasil[tlp]</td>
</tr>
<tr>
<td>Pembayaran</td>
<td>:</td>
<td colspan='3'> $hasil[status_byr]</td>
</tr>";
if ($hasil[status_byr]=='SUDAH')
{
echo "
<tr>
<td>Waktu Konfirmasi</td>
<td>:</td>
<td colspan='3'> $tglkonfirmasi </td>
</tr>
<tr>
<td>Pesanan</td>
<td>:</td>
<td colspan='3'> $pesan</td>
</tr>
<tr>
<td>Total Transfer</td>
<td>:</td>
<td colspan='3'><strong>Rp. $hasil[jmlbayar],-</strong></td>
</tr>
<tr>
<td>Validasi</td>
<td>:</td>";
if ($ubahv=='valid')
{
//echo "<td>"; include "ubahvalidasi.php"; echo"</td>";
echo" <form method='post'
action='index.php?admin=prosesubahvalidasi'>
<input type='hidden' name='id' value='$hasil[no_nota]' />
<td width='90'><input type='radio' name='valid' value='BELUM'
required>Belum</td>
<td width='90'><input type='radio' name='valid'
value='SUDAH'>Sudah</td>
<td><input type='submit' id='submitButton2' value='Ubah Validasi'/'>
</td>
</form>";

```

```

        }
        else{
            echo "<td width=165> $hasil[validasi] </td><td
colspan='3'><a
href='index.php?admin=detailtransaksi&id=$hasil[no_nota]&ubahv=valid'>
<input type='submit' id='submitButton2' value='Ubah
Validasi' value='Update' title='Ubah Validasi' /></a></td>";
        }
        echo"
    </tr>";
        if ($hasil['validasi']=='SUDAH'){ //jika validasi bernilai
SUDAH maka tampilkan kolom tgl kirim berikutnya
            echo "<tr>
                <td>Status Kirim</td>
                <td>:</td>";
            if ($skirim=='kirim')
            {
                //echo "<td>"; include "ubahvalidasi.php"; echo"</td>";
                echo" <form method='post'
action='index.php?admin=prosesubahkirim'>
<input type='hidden' name='id' value='$hasil[no_nota]' />
<td width='90'><input type='radio' name='valid' value='BELUM'
required>Belum</td>
<td width='90'><input type='radio' name='valid'
value='SUDAH'>Sudah</td>
<td><input type='submit' id='submitButton2' value='Ubah Kirim' /> </td>
</form>";
            }
            else{
                echo "<td width=165> $hasil[status_kirim] </td><td
colspan='3'><a
href='index.php?admin=detailtransaksi&id=$hasil[no_nota]&skirim=kirim'
><input type='submit' id='submitButton2' value='Ubah
Kirim' value='Update' title='Ubah Pengiriman' /></a></td>";
            }
        }
    }
    else{
        echo"<h1>Belum</h1>";
    }
}
echo"

</table>";

$detailpesan1=mysql_query("SELECT * FROM detail_transaksi, produk
where detail_transaksi.no_nota=$id and
detail_transaksi.kd_produk=produk.kd_produk");
if (!$detailpesan1)

```

```

die("Gagal Query data buku karena :".mysql_error());
echo ("<br><br>
<h1>Detail Pesanan </h1>
<center>
<table border='0'>
<tr>
<th width=50>No</th>
<th>Nama Menu</th>
<th>Qty</th>
<th width=130>Harga</th>
<th width=130>Total</th>
</tr>
");
$no = 1;
while($detailpesan=mysql_fetch_array($detailpesan1))
{
echo "<tr> ";
echo "<td><center>".$no."</center></td>";
echo "<td>".$detailpesan[nama_produk]."</td>";
echo "<td><center>".$detailpesan[jumlah]."</center></td>";
echo "<td>Rp. ".$detailpesan[harga].",-</td>";
echo "<td>Rp. ".$detailpesan[htotal].",-</td>";
echo "</tr>";
$no++;
}
$htotala = mysql_query("select sum(htotal) as sumhtotal from
detail_transaksi where no_nota= $id");
$htotala=mysql_fetch_array($htotala);
echo "<tr>
<td colspan='7'><hr></td>
</tr>
<tr>
<td colspan='2'></td>
<td colspan='2'>Total Belanja </td>
<td colspan='2'>Rp. $htotala[sumhtotal] ,-</td>
</tr>" );
$cetaktblpesan1 = mysql_query("select * from transaksi where no_nota=
$id");
$cetaktblpesan=mysql_fetch_array($cetaktblpesan1);
echo "<tr>
<td colspan='2'></td>
<td colspan='2'>Ongkos Kirim </td>
<td colspan='2'>Rp. $cetaktblpesan[ongkir] ,-</td>
</tr>
<tr>
<td colspan='2'></td>
<td colspan='2'><b>Total Belanja</b></td>
<td colspan='2'><strong>Rp.
$cetaktblpesan[htotalbelanja] ,-</strong></td>
</tr>" );
echo"</table></center>";

```

```

echo"<a href='index.php?admin=transaksi'><img src = ../images/back.png
width=20 height=20 title='Kembali'></a>" ;
?>

<!-- PopCalendar(tag name and id must match) Tags should not be
enclosed in tags other than the html body tag. -->
<iframe width=174 height=189
name="gToday:normal:../calender/agenda.js"
id="gToday:normal:../calender/agenda.js" src="../calender/ipopeng.htm"
scrolling="no" frameborder="0" style="visibility:visible; z-index:999;
position:absolute; top:-500px; left:-500px;">
</iframe>
</body>
</html>
<?php }?>

```

```

<?php
function konversi($tanggal)
{
    $format = array(
        'Jan' => 'Januari',
        'Feb' => 'Februari',
        'Mar' => 'Maret',
        'Apr' => 'April',
        'May' => 'Mei',
        'Jun' => 'Juni',
        'Jul' => 'Juli',
        'Aug' => 'Agustus',
        'Sep' => 'September',
        'Oct' => 'Oktober',
        'Nov' => 'November',
        'Dec' => 'Desember'
    );
    return strstr($tanggal, $format);
}
$tgl=konversi(date('d M Y H:i:s',mktime(date("H")-1)))
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.html'></head><body></body></html>";
} else {
include "../koneksi.php";
?>
<html>
<head>

```

```

<title>Waroeng Steak and Shake</title>
<link href="style.css" rel="stylesheet" type="text/css" />
<link rel="shortcut icon" href="../images/logo.jpg" /> <!-- Memberi
logo YA pada tab -->
<script language="javascript">
var image1=new Image()
image1.src="../images/slide/slide1.jpg"
var image2=new Image()
image2.src="../images/slide/slide2.jpg"
var image3=new Image()
image3.src="../images/slide/slide3.jpg"
</script>
</head>
<body>
    <div id="head1"> <div class="ws"> <img src='../images/ws2.jpg'
width='300' height='90'> </div><div class="menu"> <a
href="index.php?admin=transaksi">Order</a> | <a
href="index.php?admin=menu">Menu & Kategori</a> |<a
href="index.php?admin=member">Member</a> | <a
href="index.php?admin=laporan">Laporan</a> | <a
href='../view/logoutmember.php' onClick="return confirm('Yakin Ingin
Logout')" style="border:0; width:200px; height:40px;
color:red;">Logout</a>
    </div> </div>
<div id="container2">

    <!--
<div id="header">
    <div id="logo"><a href="index.html">
alt="" title="" border="0" /></a></div>
    <div id="menu">
        <ul>-->
            <!--
            <li><a href="index.php">Home</a></li>
            <li><a href="index.php?lihat=produk">Daftar Buku</a></li>
            <li><a href="index.php?lihat=formkonfirmasi">Konfirmasi
Pembayaran</a></li>
            <li><a href="index.php?lihat=kontak">Kontak Kami</a></li>
            -->
            <!--
        </ul>
    </div> </div>
    <!-- end of header -->
    <div id="content">
        <div id="content_left">

            <div class="content_left_section">
<?php if($_REQUEST['admin']=='menu' ||
```

```

$_REQUEST['admin']=='inputmenu' ) { ?>
    <h1>Menu & Kategori</h1>
    <ul>
        <li><div id="link"><a href='index.php?admin=menu'>List
Menu</a></div></li>
        <li><div id="link"><a href='index.php?admin=inputmenu'>Tambah
Menu</a></div></li>
        <li><div id="link"><a href='index.php?admin=kategori'>List
Kategori</a></div></li>
        <li><div id="link"><a href='index.php?admin=inputkategori'>Tambah
Kategori</a></div></li>
    </ul>
    <?php >

    else if(empty($_REQUEST['admin'])) ||
$_REQUEST['admin']=='transaksi' ||
$_REQUEST['admin']=='detailtransaksi' ) { ?>
        <h1>Pesanan</h1>
        <ul>
            <li><div id="link"><a
href='index.php?admin=transaksi'>Semua Pesanan</a></div></li>
            <li><div id="link"><a
href='index.php?admin=transaksi&status_byr=SUDAH'>Pesanan & Bayar
</a></div></li>
        </ul>
        <?php >
        else if($_REQUEST['admin']=='laporan' ||
$_REQUEST['admin']=='detailtransaksi' ||
$_REQUEST['admin']=='laporanmenu' ) { ?>
            <h1>Laporan</h1>
            <ul>
                <li><div id="link"><a
href='index.php?admin=laporan'>Laporan Order</a></div></li>
                <li><div id="link"><a
href='index.php?admin=laporanmenu'>Laporan Menu </a></div></li>
                    <li><div id="link"><a href='laporanmember.php'
target='_blank'>Laporan Member </a></div></li>

                </ul>
                <?php >
            else { ?>
                <h1>Member</h1>
                <ul>
                    <li><div id="link"><a href='index.php?admin=member'>List
Member</a></div></li>

                </ul>
                <?php > ?>
            </div>

        </div>

```

```

<!-- end of content left -->
<div id="content_right">
    <?php if(empty($_REQUEST['admin'])){ ?>
        <div class="marq"> <marquee behavior="alternate"
onmouseover="this.stop()" onmouseout="this.start()"
scrollamount="3"><font color="#000">SELAMAT DATANG ADMINISTRATOR
WAROENG STEAK AND SHAKE</font></marquee> </div>

    <?php
        include "transaksi.php";
    }
    else{
        $admin=$_REQUEST['admin'];
        echo "<div class='view'>";
        include "$admin.php";
        echo "</div>";
        //include "produk.php";
    }
    ?>

        </div>
    <!-- end of content right -->
    <div class="cleaner_with_height">&nbsp;</div>
</div></div>
<!-- end of content -->
<div id="footer"> <br />
    Copyright © 2014 <a href="index.php"><strong>Robin Reza
Pahlevi</strong></a></div>
<!-- end of footer -->

<!-- end of container -->
<?php } ?>
</body>
</html>

```

### Input Kategori

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {

    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
?>
<html>
<body>

```

```

<h1>Input Kategori </h1>

<form action=index.php?admin=simpankategori method=post
ENCTYPE=MULTIPART/FORM-DATA>
<table border="0" style="font-size:16;" >
<tr></tr>

<tr>
<td><div id='formdaftar'>Nama Kategori </div></td>
<td colspan="7" style=" color: black;">
<input type="text" name="nama" size="30" placeholder='Masukkan Nama
Kategori' style="width:100%;" required/>
</tr>

<tr>
<td> <div id='formdaftar'> Deskripsi </div></td>
<td colspan="7" style=" color: black;"><textarea style="width:100%;"
name="deskripsi" size="30" placeholder='Masukkan Deskripsi Product'
required></textarea></td>
</tr>

<tr>
<td colspan="7" align="center" style=" color: black;">
<input type="reset" value="Cancel" id='submitButton'>
<input type="submit" value="Save" id='submitButton'>
</td>
</tr>
</form>
</table>

</body>
</html>
<?php
}
?>
```

### Input Menu

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {

    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
}

?>
<html>
```

```

<body>

<h1>Input Produk </h1>

<form action=index.php?admin=simpanmenu method=post
ENCTYPE=MULTIPART/FORM-DATA>
<table border="0" style="font-size:16;" >
<tr></tr>
<tr>
<td width="150"> <div id='formdaftar'> Kategori </div></td>
<td colspan="7" width="200" style="color: black;">
<select name="kategori" class="selectStyle" style="width:100%;" required>
<option value='' selected='''>- Pilih Kategori -
</option>
<?php
$sql = "select * from kategori";
$stampil_kategori = mysql_query($sql);
while ($dt_kategori =
mysql_fetch_array($stampil_kategori)) {?>
<option value=<?php echo
$dt_kategori['id_kategori']; ?>><?php echo $dt_kategori['nama'];
?></option>
<?php }
?>
</select>
</td>
</tr>

<tr>
<td><div id='formdaftar'>Nama Produk </div></td>
<td colspan="7" style=" color: black;">
<input type="text" name="nama" size="30" placeholder='Masukkan Nama
Product' style="width:100%;" required/>
</tr>

<tr>
<td> <div id='formdaftar'> Harga </div></td>
<td colspan="7" style=" color: black;"><input type="text"
style="width:100%;" name="harga" maxlength="10" size="30"
placeholder='Masukkan Harga Product' required/></td>
</tr>

<tr>
<td> <div id='formdaftar'>Stok</div></td>
<td colspan="7" style=" color: black;"><input type="number"
style="width:100%;" name="stok" maxlength="4" size="30"
placeholder='Masukkan Stok Product' required/></td>
</tr>

```

```

<tr>
<td> <div id='formdaftar'> Deskripsi </div></td>
<td colspan="7" style=" color: black;"><textarea style="width:100%;" name="deskripsi" size="30" placeholder='Masukkan Deskripsi Product' required></textarea></td>
</tr>

<tr>
<td> <div id='formdaftar'> Gambar </div> </td>
<td colspan="7" style=" color: black;">

<input type=file accept=image/jpeg size=40 name=foto
placeholder='Masukkan Foto Sampul product' required></td>

</tr>

<tr>
<td colspan="7" align="center" style=" color: black;">
<input type="reset" value="Cancel" id='submitButton'>
<input type="submit" value="Save" id='submitButton'>
</td>
</tr>
</form>
</table>

</body>
</html>
<?php
}
?>
```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";

?>
<html>
<body>
<!-- content begins -->
<h1>Daftar Menu</h1>

<?php
$ambil= mysql_query("SELECT * from kategori");
```

```

if (!$tampil)
die("Gagal Query data buku karena :".mysql_error());
echo ("<table border='1'>
<tr>
<th>No</th>
<th>>Nama Kategori</th>
<th>Deskripsi</th>
<th>Proses</th>
");
$no = 1;
while($hasil=mysql_fetch_array($tampil))
{
echo "<tr>";
echo "<td>".$no."</td>";
echo "<td>".$hasil[nama]."</td>";
echo "<td>".$hasil[deskripsi]."</td>";
echo "<td><center><a href='index.php?admin=kategoriedit&id=$hasil[id_kategori]'><img src = ../images/edit1.gif width=25 height=25 title='Edit Kategori $hasil[nama]'></a>
<a href='index.php?admin=delete&id=$hasil[id_kategori]&table=kategori&file=id_kategori&next=kategori'><img src = ../images/delete1.gif width=25 height=25 title='Delete Kategori $hasil[nama]'></a></center></td>";
echo "</tr>";
$no++;
}
echo "</table>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
}

?>
<html>
<body>
```

```

<h1>Edit Kategori</h1>

<?php

$id=$_REQUEST['id'];

$sqledit="SELECT * FROM kategori WHERE id_kategori = $id";
$hasil=mysql_query($sqledit);
if(!$hasil)
die("Gagal query untuk edit data karena :".mysql_error());
$data=mysql_fetch_array($hasil);
$nama = $data[nama];
$deskripsi = $data[deskripsi];

echo "
<form action=index.php?admin=simpankategoriedit method=post
ENCTYPE=MULTIPART/FORM-DATA>
<table border='0' style='color: black;'>

<tr>
    <input type='hidden' size='3' name='id2' value='$id' readonly>
</tr>

<tr>
    <td id='formdaftar'>Nama Kategori</td>
    <td><input type='text' style='width:100%;' size='30'
name='nama_kategori' value='$nama' placeholder='Masukkan Nama
Kategori' required>
    </td>
</tr>

<tr>
    <td id='formdaftar'>Deskripsi</td>
    <td><textarea height='5' style='width:100%;' name='deskripsi'
size='100' class='textStyle' placeholder='Masukkan Deskripsi Kategori'
required >$deskripsi</textarea></td>
</tr>

<tr>
    <td colspan=7>
        <input type=button value=Cancel
onClick='javascript:history.back()' id='submitButton'> <input
type=submit value=Update id='submitButton' ></td>
    </tr>

</table>
</form>

```

```
"  
;  
?  
  
</body>  
</html>  
<?php  
}  
?>
```

```
<?php  
session_start();  
if(!isset($_SESSION['ida'])) {  
    //echo "<script>alert('Anda Harus Login Dahulu')</script>";  
    echo "<html><head><meta http-equiv='refresh'  
content='0;url=index.php'></head><body></body></html>";  
} else {  
    include "../koneksi.php";  
  
?  
  
<html>  
<body>  
<h1>Laporan Order</h1>  
  
<table center border="0" style="font-size:16;" >  
<tr></tr>  
<tr>  
<td colspan=3><div id='form2'>Semua Order </div></td>  
<td> <a href="laporanorder.php" target='_blank'> <input type="submit"  
value="Tampilan" id='submitButton2'> </a> </td>  
</tr>  
  
<tr>  
<td><div id='form2'>Per Periode Order</div></td>  
<form name="periode" action='laporanperiodeorder.php' target='_blank'  
method='post' ENCTYPE=MULTIPART/FORM-DATA>  
  
<td colspan=2><div id='form3'>  
<input type="text" name="tglawal" size="11" placeholder='Awal  
Periode' required/>  
<a href="javascript:void(0)"  
onClick="if(self.gfPop) gfPop.fPopCalendar(document.periode.tglawal);re  
turn false;" ></a>  
s/d  
<input type="text" name="tglakhir" size="11" placeholder='Akhir  
Periode' required/>  
<a href="javascript:void(0)"
```

```

onClick="if(self.gfPop)gfPop.fPopCalendar(document.periode.tglakhir);r
eturn false;" ></a>
</div> </td>

<td><input type="submit" value="Tampilkan"
id='submitButton2'></td></tr>
</form>

<center><fieldset style=" background:#FFFFFF; border:dashed 1px;
width:70%;"><h2>
<img src='..../images/ws2.jpg' width='300' height='90'> <br>Laporan
Member<br></h2>

<?
$stampil= mysql_query("Select id_member,
```

```

(select nama from member where member.id_member=transaksi.id_member)
as nama,
(select alamat from member where member.id_member=transaksi.id_member)
as alamat,
(select email from member where member.id_member=transaksi.id_member)
as email,
(select tlp from member where member.id_member=transaksi.id_member) as
tlp,
Count(*) as jmltrx
from transaksi
group by id_member ORDER BY transaksi.no_nota ASC
");
if (!$tampil)
die("Gagal Query data penerbit karena :".mysql_error());
echo ("<table rules='all' >
<tr> <td colspan=13>Update : <i>$tgl</i></td>
</tr>
<tr>
<th>No</th>
<th>Id Member</th>
<th> Nama</th>
<th width=150>Alamat</th>
<th>Email</th>
<th>Telepon</th>
<th>Jumlah Transaksi</th>
</tr>
");
$no = 1;
while($hasil=mysql_fetch_array($tampil))
{
$ststusbyr= $hasil['status_byr'];
if($ststusbyr=='BELUM'){
$tglkonfirmasi='-';
$pesan='-' ;
} else{
$tglkonfirmasi=konversi(date('d M Y H:i:s',
strtotime($hasil['tgl_konfirmasi'])) );
$pesan=$hasil['pesan'];}
echo "<tr>";
echo "<td><center>".$no."</center></td>";
echo "<td><center>".$hasil[id_member]."</center></td>";
echo "<td>".$hasil[nama]."</td>";
echo "<td>".$hasil[alamat]."</td>";
echo "<td>".$hasil[email]."</td>";
echo "<td>".$hasil[tlp]."</td>";
echo "<td><center>".$hasil[jmltrx]." kali</center></td>";
echo "</tr>";
$no++;
}
?>
<script language="javascript">

```

```

function printPage() {
    document.getElementById('print').style.visibility = 'hidden';
    if (typeof(window.print) != 'undefined') {
        window.print();
    }
    document.getElementById('print').style.visibility = '';
}
</script>
<?php
echo "</table>
<p> </p>
<input name='print' type='button' id='print' onClick='javascript:
printPage()' value='Print' title='Print Data Order'/'>
</center>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    //echo "<script>alert('Anda Harus Login Dahulu')</script>";
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
}

?>

<html>
<body>
<h1>Laporan Menu</h1>

<table center border="0" style="font-size:16;" >
<tr></tr>
<tr>
<td colspan=3><div id='form2'>Semua Semua Menu </div></td>
<td> <a href="laporanmenusemua.php" target='_blank'> <input
type="submit" value="Tampilkan" id='submitButton2'> </a> </td>
</tr>

<tr>
<td colspan=3><div id='form2'>Menu Terfavorit </div></td>
<td> <a href="laporanmenularis.php" target='_blank'> <input
type="submit" value="Tampilkan" id='submitButton2'> </a> </td>
</tr>

<!-- PopCalendar(tag name and id must match) Tags should not be

```

```

enclosed in tags other than the html body tag. -->
<iframe width=174 height=189
name="gToday:normal:../calender/agenda.js"
id="gToday:normal:../calender/agenda.js" src="../calender/ipopeng.htm"
scrolling="no" frameborder="0" style="visibility:visible; z-index:999;
position:absolute; top:-500px; left:-500px;">
</iframe>
</table>

</body>
</html>
<?php
}
?>
```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    //echo "<script>alert('Anda Harus Login Dahulu')</script>";
    echo "<html><head><meta http-equiv='refresh'
content='0;url=../index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
    include "formattanggal.php";
?>
<html>
<title>Laporan Menu Terfavorit</title>
<link href="styleprint.css" rel="stylesheet" type="text/css" />
<body>
<!-- content begins -->
<center><fieldset style=" background:#FFFFFF; border:dashed 1px;
width:40%;"><h2>
<img src='../images/ws2.jpg' width='300' height='90'> <br>Laporan Menu
Terfavorit<br></h2>

<?
$ambil= mysql_query("SELECT *, SUM(detail_transaksi.jumlah) as jumlah
FROM detail_transaksi, produk, kategori
WHERE detail_transaksi.kd_produk=produk.kd_produk and
kategori.id_kategori=produk.id_kategori
GROUP BY detail_transaksi.kd_produk ORDER BY jumlah DESC LIMIT 5 ");
if (!$ambil)
die("Gagal Query data penerbit karena :".mysql_error());
echo ("<table rules='all' >
<tr> <td colspan=13>Update : <i>$tgl</i></td>
</tr>
<tr>
<th>No</th>
<th>Nama Menu</th>
```

```

<th>Kategori</th>
<th>Harga</th>
<th>Stok</th>

</tr>
");
$no = 1;
while($hasil=mysql_fetch_array($tampil))
{
$harga = number_format($hasil[harga], '0', ',', '.');
echo "<tr>";
echo "<td><center>".$no."</center></td>";
echo "<td>".$hasil[nama_produk]."</td>";
echo "<td><center>".$hasil[nama]."</center></td>";
echo "<td>Rp ".$harga.",-</td>";
echo "<td><center>".$hasil[stok]."<center></td>";
// echo "<td>".$hasil[pdeskripsi]."</td>";
// echo "<td><center>".$hasil[jmltrx]." kali</center></td>";
echo "</tr>";
$no++;
}
?>
<script language="javascript">
function printPage() {
    document.getElementById('print').style.visibility = 'hidden';
    if (typeof(window.print) != 'undefined') {
        window.print();
    }
    document.getElementById('print').style.visibility = '';
}</script>
<?php
echo "</table>
<p> </p>
<input name='print' type='button' id='print' onClick='javascript:
printPage()' value='Print' title='Print Data Order'/'>
</center>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    //echo "<script>alert('Anda Harus Login Dahulu')</script>";
    echo "<html><head><meta http-equiv='refresh'
content='0;url=../index.php'></head><body></body></html>";
} else {

```

```

        include "../koneksi.php";
        include "formattanggal.php";
    ?>
<html>
<title>Laporan Menu</title>
<link href="styleprint.css" rel="stylesheet" type="text/css" />
<body>
<!-- content begins -->
<center><fieldset style=" background:#FFFFFF; border:dashed 1px;
width:40%;"><h2>
<img src='../images/ws2.jpg' width='300' height='90'> <br>Laporan
Menu<br></h2>

<?

$stampil= mysql_query("SELECT *, produk.deskripsi as pdeskripsi from
produk, kategori where kategori.id_kategori=produk.id_kategori");
if (!$stampil)
die("Gagal Query data penerbit karena :".mysql_error());
echo ("<table rules='all' >
<tr> <td colspan=13>Update : <i>$tgl</i></td>
</tr>
<tr>
<th>No</th>
<th>Nama Menu</th>
<th>Kategori</th>
<th>Harga</th>
<th>Stok</th>

</tr>
");
$no = 1;
while($hasil=mysql_fetch_array($stampil))
{
$harga = number_format($hasil[harga],'0','','','');
echo "<tr>";
echo "<td><center>".$no."</center></td>";
echo "<td>".$hasil[nama_produk]."</td>";
echo "<td><center>".$hasil[nama]."</center></td>";
echo "<td>Rp ".$harga.",-</td>";
echo "<td><center>".$hasil[stok]."<center></td>";
// echo "<td>".$hasil[pdeskripsi]."</td>";
// echo "<td><center>".$hasil[jmltrx]." kali</center></td>";
echo "</tr>";
$no++;
}
?>
<script language="javascript">
function printPage() {
    document.getElementById('print').style.visibility = 'hidden';
    if (typeof(window.print) != 'undefined') {

```

```

        window.print();
    }
    document.getElementById('print').style.visibility = '';
}</script>
<?php
echo "</table>
<p> </p>
<input name='print' type='button' id='print' onClick='javascript:
printPage()' value='Print' title='Print Data Order'/'>
</center>";
?>
</body>
</html>
<?php
}
?>
```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    //echo "<script>alert('Anda Harus Login Dahulu')</script>";
    echo "<html><head><meta http-equiv='refresh'
content='0;url=../index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
    include "formattanggal.php";
?>
<html>
<title>Laporan Order</title>
<link href="styleprint.css" rel="stylesheet" type="text/css" />
<body>
<!-- content begins -->
<center><fieldset style=" background:#FFFFFF; border:dashed 1px;
width:70%;"><h2>
<img src='../images/ws2.jpg' width='300' height='90'> <br>Laporan
Order<br></h2>

<?
$stampil= mysql_query("select * from pengiriman, kelurahan, kotamadya,
transaksi where pengiriman.no_nota=transaksi.no_nota and
status_byr='SUDAH' and pengiriman.id_kelurahan=kelurahan.id_kelurahan
and kelurahan.id_kotamadya=kotamadya.id_kotamadya
ORDER BY transaksi.no_nota ASC");
if (!$stampil)
die("Gagal Query data penerbit karena :".mysql_error());
echo ("<table rules='all' >
<tr> <td colspan=13>Update : <i>$tgl</i></td>
</tr>
<tr>
```

```

<th>No</th>
<th>No Nota</th>
<th>Tanggal Order</th>
<th>Nama</th>
<th width=150>Alamat</th>

<th>Total Order</th>

<th>Validasi</th>
<th>Status Kirim</th>
</tr>
");
$no = 1;
while($hasil=mysql_fetch_array($tampil))
{
$ststatusbyr= $hasil['status_byr'];
if($ststatusbyr=='BELUM'){
$tglkonfirmasi='-';
$pesan='-' ;
else{
$tglkonfirmasi=konversi(date('d M Y H:i:s',
strtotime($hasil['tgl_konfirmasi']))));
$pesan=$hasil['pesan'];
echo "<tr>";
echo "<td><center>".$no."</center></td>";
echo "<td><center>".$hasil[no_nota]."</center></td>";
echo "<td>".konversi(date('d M Y H:i:s',
strtotime($hasil[tgl_pesan])))."</td>";
echo "<td>".$hasil[nama]."</td>";
echo "<td>".$hasil[alamat].', '.$hasil[nama_kelurahan].',
'.'.$hasil[nama_kotamadya]."</td>";
// echo "<td>".$hasil[tlp]."</td>";
echo "<td>Rp.".number_format($hasil[htotalbelanja],'0','','','.') .",-</td>";
// echo "<td><center>".$ststatusbyr."</center></td>";
// echo "<td>$tglkonfirmasi</td>";
//echo "<td>".$hasil[tgl_konfirmasi]."</td>";
// echo "<td>Rp.".number_format($hasil[jmlbayar],'0','','','.') .",-</td>";
// echo "<td>$pesan</td>";
echo "<td>".$hasil[validasi]."</td>";
echo "<td><center>".$hasil[status_kirim]."</center></td>";
echo "</tr>";
$no++;
}
?>
<script language="javascript">
function printPage() {

```

```

document.getElementById('print').style.visibility = 'hidden';
if (typeof(window.print) != 'undefined') {
    window.print();
}
document.getElementById('print').style.visibility = '';
} </script>
<?php
echo "</table>
<p> </p>
<input name='print' type='button' id='print' onClick='javascript:
printPage()' value='Print' title='Print Data Order'>
</center>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
    include "formattanggal.php"; //untuk konversi waktu/ menjalankan
fungsi konversi
?>
<html>
<title>Laporan Per Periode Order</title>
<link href="styleprint.css" rel="stylesheet" type="text/css" />
<body>
<!-- content begins -->
<center><fieldset style=" background:#FFFFFF; border:dashed 1px;
width:70%;"><h2>
<img src='../images/ws2.jpg' width='300' height='90'> <br>Laporan Per
Periode Order</h2>
<?php
$tglawal=$_POST['tglawal'];
$tglakhir=$_POST['tglakhir'];
$tampil= mysql_query("select * from transaksi, pengiriman, kelurahan,
kotamadya WHERE tgl_pesan BETWEEN '$tglawal' AND '$tglakhir' and
transaksi.status_byr='SUDAH' and transaksi.no_nota=pengiriman.no_nota
and pengiriman.id_kelurahan=kelurahan.id_kelurahan and
kelurahan.id_kotamadya=kotamadya.id_kotamadya ORDER BY
transaksi.no_nota ASC");
if (!$tampil)
die("Gagal Query data penerbit karena :".mysql_error());
echo (

```

```

<table rules='all' >
<tr> <td colspan=13>Update : <i>$tgl</i> <br> Periode Order : ";
//Catatan!!! Fungsi strtotime pada php banyak berguna untuk konversi
dari string ke format tanggal (date/datetime)
echo konversi(date('d M Y', strtotime($tglawal)))." s/d
".konversi(date('d M Y', strtotime($tglakhir)))."</td>";
echo (" </tr>
<tr>
<th>No</th>
<th>No Nota</th>
<th>Tanggal Order</th>
<th width=100>Nama</th>
<th width=150>Alamat</th>
<th>Total Order</th>
<th>Validasi</th>
<th>Status Kirim</th></tr>
");
$no = 1;
while($hasil=mysql_fetch_array($stampil))
{
$ststuskonfirmasi= $hasil['status_konfirmasi'];
if($ststuskonfirmasi=='BELUM') {
$tglkonfirmasi='-';
$pesan='-';
}
else{
$tglkonfirmasi=konversi(date('d M Y H:i:s',
strtotime($hasil['tgl_konfirmasi'])));
$pesan=$hasil['keterangan'];
echo "<tr>";
echo "<td>".$no."</td>";
echo "<td><center>".$hasil[no_nota]."</center></td>";
//echo "<td>".$hasil[tgl_pesan]."</td>";
echo "<td>".konversi(date('d M Y H:i:s',
strtotime($hasil[tgl_pesan])))."</td>";
echo "<td>".$hasil[nama]."</td>";
echo "<td>".$hasil[alamat].', '.$hasil[nama_kelurahan].',
'.$hasil[nama_kotamadya]."</td>";
// echo "<td>".$hasil[tlp]."</td>";
// echo "<td>".$hasil[email]."</td>";
echo "<td>Rp.".number_format($hasil[htotalbelanja],'0','','','.') .",-
</td>";
// echo "<td><center>".$hasil[status_konfirmasi]."</center></td>";
// echo "<td>$tglkonfirmasi</td>";
// echo "<td>Rp.".number_format($hasil[bayar],'0','','','.') .",-</td>";
// echo "<td>$pesan</td>";
echo "<td><center>".$hasil[validasi]."</center></td>";
echo "<td> <center>".$hasil[status_kirim]."</center></td>";
echo "</tr>";
$no++;
}
?>
```

```

<script language="javascript">
function printPage() {
    document.getElementById('print').style.visibility = 'hidden';
    if (typeof(window.print) != 'undefined') {
        window.print();
    }
    document.getElementById('print').style.visibility = '';
}</script>
<?php
echo "</table>
<p><input name='print' type='button' id='print' onClick='javascript:printPage()' value='Print' title='Cetak Data Pesanan' />&ampnbsp </p>
</center>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
}

?>
<html>
<body>
<!-- content begins -->
<h1>Daftar Member</h1>

<?php
$tampil= mysql_query("SELECT * from member");

if (!$tampil)
die("Gagal Query data buku karena :".mysql_error());
echo ("<table border='1'>
<tr>
<th>No</th>
<th>Id Member</th>
<th>Nama</th>
<th>Email</th>
<th>Telpon</th>
<th>Alamat</th>
<th>Proses</th>
");
$no = 1;

```

```

while($hasil=mysql_fetch_array($tampil))
{
echo "<tr>";
echo "<td><center>".$no."</center></td>";
echo "<td><center>".$hasil[id_member]."</center></td>";
echo "<td>".$hasil[nama]."</td>";
echo "<td>".$hasil[email]."</td>";
echo "<td>".$hasil[tlp]."</td>";
echo "<td>".$hasil[alamat]."</td>";
echo "<td><center><a href='index.php?admin=memberedit&id=$hasil[id_member]'><img src = ../images/edit1.gif width=25 height=25 title='Edit Member $hasil[nama]'></a>
<a href='index.php?admin=deletemember&id=$hasil[id_member]&next=member'><img src = ../images/delete1.gif width=25 height=25 title='Delete Member $hasil[nama]'></a></center></td>";
echo "</tr>";
$no++;
}
echo "</table>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
}

?>
<html>
<body>
    <h1>Edit Member</h1>

<?php
$id=$_REQUEST['id'];
$sqledit="SELECT * FROM member WHERE id_member = $id";
$hasil=mysql_query($sqledit);

```

```

if (!$hasil)
die("Gagal query untuk edit data karena :".mysql_error());
$data=mysql_fetch_array($hasil);
$nama = $data[nama];
$email = $data[email];
$tlp = $data[tlp];
$salamat = $data[alamat];

echo "
<form action=index.php?admin=simpanmemberedit method=post
ENCTYPE=MULTIPART/FORM-DATA>
<table border='0' style='color: black;'>

<tr>
    <input type='hidden' size='3' name='id2' value='$id' readonly>

</tr>

<tr>
    <td id='formdaftar'>Nama</td>
    <td><input type='text' style='width:100%;' size='40' name='nama'
value='$nama' placeholder='Masukkan Nama' required>
    </td>
</tr>

<tr>
    <td id='formdaftar'>Email</td>
    <td><input type='text' style='width:100%;' size='40'
name='email' value='$email' placeholder='Masukkan Email' required>
    </td>
</tr>

<tr>
    <td id='formdaftar'>Telepon</td>
    <td><input type='text' style='width:100%;' size='40' name='tlp'
value='$tlp' placeholder='Masukkan No Telpon' required>
    </td>
</tr>

<tr>
    <td id='formdaftar'>Alamat</td>
    <td><textarea height='5' style='width:100%;' name='alamat'
size='100' class='textStyle' placeholder='Masukkan Alamat' required
>$alamat</textarea></td>
</tr>

<tr>
    <td colspan=7>
        <input type=button value=Cancel
onClick='javascript:history.back()' id='submitButton'> <input

```

```

        type=submit value=Update id='submitButton' ></td>
    </tr>

</table>
</form>
"
;
?>

</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";

?>
<html>
<body>
<!-- content begins -->
<h1>Daftar Menu</h1>

<?php

$stampil= mysql_query("SELECT * from produk, kategori where
kategori.id_kategori=produk.id_kategori");

if (!$stampil)
die("Gagal Query data buku karena :".mysql_error());
echo ("<table border='1'>
<tr>
<th>No</th>
<th>Nama Menu</th>
<th>Kategori</th>
<th>Harga</th>

<th>Stok</th>
<th>Detail</th>
<th>Proses</th>
");
$no = 1;
while($hasil=mysql_fetch_array($stampil))
{

```

```

echo "<tr>";
echo "<td>".$no."</td>";
echo "<td>".$hasil[nama_produk]."</td>";
echo "<td>".$hasil[nama]."</td>";
echo "<td>Rp ".$hasil[harga]."</td>";

/*
if($hasil[stok]<=10) {
echo "<td><a
href='index.php?admin=tambahstok&update=tambah&id=$hasil[kd_produk]'><
img src = ../images/awas.png width=20 height=20 title='Tambah
Stok!!!!'></a>".$hasil[stok]."</td>"; }
else{
echo "<td>".$hasil[stok]."<a
href='index.php?admin=tambahstok&update=tambah&id=$hasil[kd_produk]'><
img src = ../images/plus.png width=20 height=20 title='Tambah
Stok!!!!'></a></td>"; }
*/
echo "<td><center>$hasil[stok]</center></td>";

echo "<td><center><a
href='index.php?admin=menudetail&id=$hasil[kd_produk]'><img src
='..../images/lihat.png' width=25 height=25 title='Detail
$hasil[nama_produk]'></a></center></td>"; 
echo "<td><center><a
href='index.php?admin=menuedit&id=$hasil[kd_produk]'><img src =
'..../images/edit1.gif' width=25 height=25 title='Edit Menu
$hasil[nama_produk]'></a>
<a
href='index.php?admin=delete&id=$hasil[kd_produk] &table=produk&field=k
d_produk&next=menu'><img src ='..../images/delete1.gif' width=25
height=25 title='Delete Menu $hasil[nama_produk]'></a></center></td>"; 
echo "</tr>";

$no++;
}
echo "</table>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
```

```

} else {
    include "../koneksi.php";
    ?>
<html>
<head>
<link rel="stylesheet" type="text/css" href="file/style.css"
media="screen" />
<link rel="shortcut icon" href="images/logo.png" />
</head>
<body>
<?php
//echo (" <h1>Detail Order</h1>");
include "../koneksi.php";
$id=$_REQUEST['id'];
$query=mysql_query("SELECT *, produk.deskripsi as pdeskripsi from
produk, kategori where kategori.id_kategori=produk.id_kategori and
kd_produk='$id'");
$no=1;
while($hasil=mysql_fetch_array($query)) {

echo "
<h1>$hasil[nama_produk]</h1>
<div class=image_panel><img src='..foto/$hasil[foto]' width='100%' height='100%' /></div>

Kategori : $hasil[nama] <br> Stok :
$hasil[stok] <br>";
echo ("Harga :
Rp.".number_format($hasil['harga'])."<br>");
echo "Deskripsi : $hasil[pdeskripsi]
<br>";
echo "<a href='index.php?admin=menu'><img
src ='..images/back.png' width=25 height=25 title='Kembali'></a><a
href='index.php?admin=menuedit&id=$hasil[kd_produk]'><img
src='..images/edit1.gif' width='25' height='25' title='Edit Menu
$hasil[nama_produk]' /></a>
<a
href='index.php?admin=delete&id=$hasil[kd_produk]&table=produk&field=k
d_produk&next=menu'><img src='..images/delete1.gif' width='25'
height='25' title='Delete Menu $hasil[nama_produk]' /> </a>";
/*
echo"<table border='1'> <div id='detail-barang'>";
echo"<tr><td colspan='2'><h2> <div class='jdl-
detail'>$hasil[judul]</div></h2></td></tr>";
echo"<tr><td><img src='foto/$hasil[foto]' class='gambar'
width='140' height='200'></td></tr>";
echo"<tr>
<td><div class='ket-deskripsi'><b>Penerbit : $hasil[penerbit] <br>
Penulis : $hasil[pengarang] <br>
Stok : $hasil[stok] <br>" ;
echo ("Harga : Rp.".number_format($hasil['harga'])."<br>");
```

```

echo "
Deskripsi :</b><br>
$hasil[deskripsi]</div>
</td></tr>";

//echo "</div>";
echo"</table>"; */

}
//echo "<br><br><br><hr><div id='lain'>Buku Lainnya</div><br>" ;
//include "produklain.php";
?>
</body>
</html>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";

?>
<html>
<body>
    <h1>Edit Menu</h1>

    <?php
    $id=$_REQUEST['id'];

    $sqledit="SELECT * , produk.deskripsi AS pdeskripsi FROM produk,
kategori WHERE kategori.id_kategori = produk.id_kategori AND kd_produk
=$id";
    $hasil=mysql_query($sqledit);
    if(!$hasil)
        die("Gagal query untuk edit data karena :".mysql_error());
    $data=mysql_fetch_array($hasil);
    $id2 = $data[kd_produk];
    $stok = $data[stok];
    $idkategori = $data[id_kategori];
    $nama_produk = $data[nama_produk];
    $harga = $data[harga];
    $foto = $data[foto];
    $deskripsi = $data[pdeskripsi];

```

```

echo "
<form action=index.php?admin=simpanmenuedit method=post
ENCTYPE=MULTIPART/FORM-DATA>
<table border='0' style='color: black;'>

<tr>
    <input type='hidden' size='3' name='id2' value='$id2' readonly>
    <input type='hidden' size='3' name='idkategori'
value='$idkategori' readonly>

</tr>

<tr>
    <td id='formdaftar'>Kategori</td>
    <td width='150' style='color: black;'>
<select name='kategori' class='selectStyle' style='width:100%;'>
<option value='' selected='''>- Ubah Kategori -</option>";

        $sql = "select * from kategori";
        $tampilkategori = mysql_query($sql);
        while ($dt_kategori =
mysql_fetch_array($tampilkategori)) {
            $id_kategori = $dt_kategori[id_kategori];
            $nama = $dt_kategori[nama];
            echo" <option value=$id_kategori>$nama
                </option> ";
        }

echo " </select>
    </td>
</tr>

<tr>
    <td id='formdaftar'>Nama Produk</td>
    <td><input type='text' style='width:100%;' size='30'
name='nama_produk' value='$nama_produk' placeholder='Masukkan Nama
Produk' required>
    </td>
</tr>

<tr>
    <td id='formdaftar'>Harga</td>
    <td><input type='text' style='width:100%;' maxlength='10'
size='30' name='harga' value='$harga' placeholder='Masukkan Harga
Produk' required></td>
</tr>
<tr>
    <td id='formdaftar'>Stok</td>
    <td><input type='number' style='width:100%;' maxlength='4'
size='30' name='stok' value='$stok' placeholder='Masukkan Stok Produk'>
</td>
</tr>

```

```

required></td>
</tr>
<tr>
    <td id='formdaftar'>Deskripsi</td>
    <td><textarea height='5' style='width:100%;' name='deskripsi'
size='100' class='textStyle' placeholder='Masukkan Deskripsi Produk'
required >$deskripsi</textarea></td>
</tr>

<tr>
    <td id='formdaftar'>Ubah Gambar</td>
    <td>" ; ?>
    <input type=file accept=image/jpeg size=40 name=foto
value=<?php echo $data['foto']; ?>" placeholder='Masukkan Foto
Produk'>

<?php echo" </td>
</tr>

<tr>
    <td id='formdaftar'>Gambar</td>
    <td><img src='..foto/$foto' width='265px'></td>
</tr>

<tr>
    <td colspan=7>
        <input type=button value=Cancel
onClick='javascript:history.back()' id='submitButton'> <input
type=submit value=Update id='submitButton' ></td>
    </tr>

</table>
</form>
"
;
?>

</body>
</html>
<?php
}
?>

```

```

<?php
include('../koneksi.php');
$user=$_POST['user'];
$pass=$_POST['pass'];
// $password=md5($_POST['password']);

$cеко = mysql_query("select * from admin where username='$user' and

```

```

password='$pass'") ;
$tceko=mysql_fetch_array($ceko);
if(!$tceko) {
echo "<script>alert('Username / Password salah!')</script>";
echo "<html><head><meta http-equiv='refresh'
content='0;url=index.html'></head><body></body></html>";
}
else {
session_start();
session_register('nama');
$_SESSION['nama']=$tceko['nama'];
$_SESSION['ida']=$tceko['id_admin'];
header("Location: index.php");
// echo "<html><head><meta http-equiv='refresh'
content='0;url=home.php'></head><body></body></html>";
}

?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {

    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {

include "../koneksi.php";
$valid = $_REQUEST['valid'];
$id = $_REQUEST['id'];

if($_REQUEST['valid']=='SUDAH') {

//scrip untuk kurangi stok
$cekdetail=mysql_query("SELECT * FROM detail_transaksi where no_nota=
'$id'");
while( $hasilcek = mysql_fetch_array($cekdetail)) {
    $sql3=mysql_query("select * from produk where kd_produk =
'$hasilcek[kd_produk]'");
    $data3=mysql_fetch_array($sql3);

    $stok_baru = $data3[stok] - $hasilcek[jumlah];
    mysql_query("update produk set stok='$stok_baru' where kd_produk
= '$hasilcek[kd_produk]'");
}
//end kurangi stok
}

$hasil=("UPDATE transaksi set
status_kirim = '$valid'

```

```

        where no_nota ='$id' ");
$hasil4=mysql_query($hasil);
if(!$hasil4)
    echo "<script>alert('Gagal')</script>";
else
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php?admin=detailtransaksi&id=$id'></head><body></
body></html>";
} ?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {

    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {

include "../koneksi.php";
$valid = $_REQUEST['valid'];
$id = $_REQUEST['id'];

$cek=mysql_query("SELECT * FROM transaksi where no_nota='$id'");
while($hasilcek=mysql_fetch_array($cek)){
$konfirmasi = $hasilcek['status_byr'];
}
if($konfirmasi=='SUDAH'){
$hasil=("UPDATE transaksi set
                    validasi = '$valid'
                    where no_nota ='$id' ");

$hasil4=mysql_query($hasil);
if(!$hasil4)
    echo "<script>alert('Gagal')</script>";
else
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php?admin=detailtransaksi&id=$id'></head><body></
body></html>";
}
else{
echo "<script>alert('Pesanan Belum di Konfirmasi. Validasi gagal!
')</script>";
echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php?admin=detailtransaksi&id=$id'></head><body></
body></html>";
}
} ?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {

    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";

$nama=$_REQUEST['nama'];
$deskripsi=$_REQUEST['deskripsi'];

$sql="insert into kategori ( nama, deskripsi)
values ('$nama', '$deskripsi')";
$hasil=mysql_query($sql);

echo "<script>alert('Data Kategori Berhasil Di Simpan')</script>";
echo "<html><head><meta http-equiv='refresh' content='0;url=index.php?admin=inputkategori'></head><body></body></html>";
} ?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";
$hasil=("UPDATE kategori set
                    nama = '$nama_kategori',
                    deskripsi = '$deskripsi'
                    where id_kategori ='$id2' ");

$hasil4=mysql_query($hasil);

if(!$hasil4)
    echo "<script>alert('Gagal')</script>";
else
    echo "<script>alert('Data Kategori Berhasil Di Edit')</script>";
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php?admin=kategori'></head><body></body></html>";
} ?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
}

```

```

} else {
    include "../koneksi.php";
    $id2=$_REQUEST['id2'];
    $nama=$_REQUEST['nama'];
    $alamat=$_REQUEST['alamat'];
    $tlp=$_REQUEST['tlp'];
    $email=$_REQUEST['email'];

    if( !is_numeric($tlp) ){ //untuk mengecek apakah telepon benar
    angka atau bukan jika bukan maka jalankan scrip berikut..
        echo "<script>alert('Anda salah memasukkan no
    Telepon')</script>";
        echo "<html><head><meta http-equiv='refresh'
    content='0;url=index.php?admin=memberedit&id=$id2'></head><body></body>
    </html>";
    }else{
        $hasil=("UPDATE member set
                    nama = '$nama',
                    alamat = '$alamat',
                    tlp = '$tlp',
                    email = '$email'
                    where id_Anggota='$id2' ");
    }

    $hasil4=mysql_query($hasil);

    if(!$hasil4)
        echo "<script>alert('Gagal')</script>";
    else
        echo "<script>alert('Data member Berhasil Di Edit')</script>";
        echo "<html><head><meta http-equiv='refresh'
    content='0;url=index.php?admin=member'></head><body></body></html>";
    } }?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {

    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";

    $kategori=$_REQUEST['kategori'];
    $nama=$_REQUEST['nama'];
    $stok=$_REQUEST['stok'];
    $harga=$_REQUEST['harga'];
    $deskripsi=$_REQUEST['deskripsi'];

    $sql="insert into produk (id_kategori, nama_produk, harga, deskripsi,

```

```

stok, foto)
values ('$kategori','$nama',$harga,'$deskripsi',$stok,'$foto_name')";
$hasil=mysql_query($sql);
copy ($foto,"C:/AppServ/www/ws/steak2/foto/$foto_name");
echo "<script>alert('Data Menu Berhasil Di Simpan')</script>";
echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php?admin=menu'></head><body></body></html>";
} ?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";

if(empty($kategori)){
$hasil=("UPDATE produk set
            id_kategori = '$idkategori',
            nama_produk = '$nama_produk',
            stok = '$stok',
            harga = '$harga',
            deskripsi = '$deskripsi'
            where kd_produk ='$id2' ");
}

else if(empty($foto)){
$hasil=("UPDATE produk set
            id_kategori = '$kategori',
            nama_produk = '$nama_produk',
            stok = '$stok',
            harga = '$harga',
            deskripsi = '$deskripsi'
            where kd_produk ='$id2' ");
}

else{
$hasil=("UPDATE produk set
            id_kategori = '$kategori',
            nama_produk = '$nama_produk',
            stok = '$stok',
            harga = '$harga',
            deskripsi = '$deskripsi',
            foto = '$foto_name'
            where kd_produk ='$id2' ");
}
$hasil4=mysql_query($hasil);

```

```

copy ($foto,"C:/AppServ/www/ws/steak2/foto/$foto_name");

if(!$hasil4)
    echo "<script>alert('Gagal')</script>";
else
    echo "<script>alert('Data Menu Berhasil Di Edit')</script>";
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php?admin=menu'></head><body></body></html>";
} ?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
} else {
    include "../koneksi.php";

$id_buku = $_REQUEST[id_buku];
$cekstok1=mysql_query("SELECT * FROM produk where kd_produk=$id_buku");
while($cekstok=mysql_fetch_array($cekstok1))
{
echo"
<html>
<body>
<h1>Tambah Stok</h1>
<center>
<form action=updatestok.php?update=tambah method=post ENCTYPE=MULTIPART/FORM-DATA>
<table center border='0' style='font-size:16;' align='center'>
<tr></tr>

<tr>
<td colspan=2><center><img src='../foto/$cekstok[foto]' width='100' height='150' /></center></td>
</tr>

<tr>
<td colspan=2><center>$cekstok[judul]</center></td>
</tr>

<tr>
<td><div id='formdaftar'>STOK TERAKHIR </div></td>
<td colspan='7' >
$cekstok[stok]
<input type='hidden' size='3' name='id_buku' value='$id_buku'></td>
</tr>

```

```

<tr>
<td><div id='formdaftar'>TAMBAH STOK </div></td>
<td colspan='7'>
<input type='number' name='qty' size='20' placeholder='Tambah Stok'
required/>
</tr>

<tr>
<td colspan='7' align='center' style=' color: black;'>
<input type=button value=Batal onClick='javascript:history.back()'
id='submitButton'>
<input type='submit' value='Simpan' id='submitButton'>
</td>
</tr>
</form>
</table>
</center>
</body>
</html>";
} }
?>

```

```

<?php
session_start();
if(!isset($_SESSION['ida'])) {
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.html'></head><body></body></html>";
} else {
include "../koneksi.php";
?>
<html>
<body>
<!-- content begins -->
<h1>DATA PESANAN</h1>
<?
if ($_REQUEST['status_byr']=='SUDAH')
{
$tampil= mysql_query("SELECT transaksi.no_nota, pengiriman.nama,
transaksi.status_byr, transaksi.validasi
FROM transaksi, pengiriman where transaksi.no_nota=pengiriman.no_nota
and transaksi.status_byr='$_REQUEST[status_byr]' order by
transaksi.no_nota asc");
}
else{
$tampil= mysql_query("SELECT transaksi.no_nota, pengiriman.nama,
transaksi.status_byr, transaksi.validasi FROM transaksi, pengiriman
where transaksi.no_nota=pengiriman.no_nota order by
transaksi.status_byr Desc");
}
if (!$tampil)

```

```

die("Gagal Query data buku karena :".mysql_error());
echo ("<table border='1'>
<tr>
<th>No</th>
<th>No. Nota</th>
<th>Atas Nama</th>
<th>Pembayaran</th>
<th>Pengiriman Ditempat</th>
<th>Detail</th>
");
$no = 1;
while($hasil=mysql_fetch_array($stampil))
{
// $web=$hasil[website];
echo "<center>";
echo "<tr>";
echo "<td>".$no."</td>";
echo "<td><center>".$hasil[no_nota]."</center></td>";
echo "<td>".$hasil[nama]."</td>";
echo "<td>".$hasil[status_byr]."</td>";
echo "<td>".$hasil[validasi]."</td>";
echo "<td><center><a href='index.php?admin=detailtransaksi&id=$hasil[no_nota]'><img src =
../images/lihat.png width=20 height=20 title='Detail Data Pesanan'></a>
</center></td>";
echo "</tr>";

$no++;
}
echo "</table>";
?>
</body>
</html>
<?php
}
?>

```

```

<?php
include "koneksi.php";
session_start();
//if(empty($_GET['aksi'])){
$stampil2 = mysql_query("select * from transaksi_sementara where
id_member='".$_SESSION[id]."' ");
$hasil2=mysql_fetch_array($stampil2);

if(!$hasil2){
// echo"<script language='javascript'>alert('Keranjang belanja anda
kosong. Silahkan belanja...')</script>";
echo "<html><head><meta http-equiv='refresh'

```

```

content='0;url=index.php?view=daftarproduk'></head><body></body></html
>";
}else{

$tampil = mysql_query("select * from transaksi_sementara where
id_member='$_SESSION[id]' ");
$no = 1;
$aharga = 0;
echo "  <h1>Pesanan Anda</h1> <div class='chart'>
          <table border='0'>
            <tr>
              <th>No</th>
              <th>Nama Produk</th>
              <th >Harga</th>
              <th >Qty</th>
              <th >Total</th>
              <th
colspan='2'>Process</th>
          </tr>
        ";
while($hasil=mysql_fetch_array($tampil))
{
$jumlah= $hasil[jumlah];
$produk = mysql_query("select * from produk where
kd_produk=$hasil[kd_produk] ");
while($hasilproduk=mysql_fetch_array($produk) ){
$aharga = $harga;
$stok=$hasilproduk[stok];

//$harga = format_rupiah($hasil['harga']);
echo "
          <form
action='view/editorder.php' method='get'>
            <input type='hidden'
name='stok' value='$stok' />
            <input type='hidden'
name='idproduk' value='$hasil[id]' />
            <input type='hidden'
name='harga' value='$hasil[harga]' />
          <tr>
            <td>$no</td>

            <td>$hasilproduk[nama_produk]</td>
            <td
width=150><center>Rp ".number_format($hasil[harga],'0','','','.') ;
echo",-
</center></td>
            <td><center><input
type='number' style='width:45%;' size='5' name='jumlah'
value='$jumlah' /></center></td>
            <td

```

```

style='width:20%;'> Rp ".number_format($hasil[total], '0',' ',' ','.');
echo ", -</td>
<td><a
href='view/deleteorder.php?idorder=$hasil[id]' "; ?>
onClick="return
confirm('Apakah anda serius membatalkan pesanan ?')"
<?php echo" >

<img src =
images/delete.png width=20 height=20 title='Delete Order'></a></td>
<td><input
type='image' src='images/refresh.png' width='25' height='25'
title='Update Order' /></td>

</tr>
</form>";
}

$no++;
}
$htotala = mysql_query("select sum(total) as htotal from
transaksi_sementara where id_member= '".$_SESSION[id]."' ");
$thtotala=mysql_fetch_array($htotala);
echo "
<tr>
<td
colspan='7'><hr></td>
</tr>
<tr>
<td colspan='4'>Total
Pesanan</td>
<td>Rp
".number_format($thtotala[htotal], '0',' ',' ','.');
echo ", -</td>
</tr>
<tr>
<td colspan='7'>
<div
id='tombolcheckout'>

<a
href='index.php?view=endorder' title='Check Out'>
<img
src='images/checkout.png' width='30' height='20' border='0' />
<i>Check
Out</i></a>
</div>
<div
id='tombolbelanjalagi'>

<a

```

```

<i>
    <img
        src='images/keranjang.png' width='30' height='20' border='0' />
        Order
    Again</i></a>
</div>

                </td>
            </tr>
        </table>
    ";}
}

echo "
<div>Langkah-langkah pemesanan</div>

    <div class=prod\_box\_big>
        <ul>
            <li>
                \* Pada kolom Sum, Anda
dapat mengubah berapa jumlah produk yang hendak Anda pesan.<br>
                \* Lalu meng-klik tombol
Update untuk mengetahui biaya terbaru dari jumlah produk yang baru
saja Anda masukan.
            </li>
            <li>
                \* Pembelian jumlah produk
minimal Rp.100.000. Pesanan dapat diantar.<br>
                \* Transaksi pertama yang
dilayani.
            </li>
            <li>
                \* Anda juga dapat menghapus
produk dari daftar pesanan Anda dengan meng-klik gambar
                <img
                    src='images/delete.png' width='15' height='15' border='0' />
                    delete pada kolom Aksi.
            </li>
            <li>
                \* Apabila Anda ingin
menambah pesanan lagi, klik gambar
                <img
                    src='images/keranjang.png' width='15' height='15' border='0' />
                    Order Again.
            </li>
            <li>
                \* Apabila Anda telah yakin
dengan pesanan Anda, silahkan klik gambar
                <img
                    src='images/checkout.png' width='15' height='15' border='0' />
                    Check Out untuk melakukan
proses pengiriman.
            </li>
        </ul>
    </div>

```

```
        </li>
    </ul>
</div></div>"; }
?>
```

```

<?php
include "koneksi.php";
session_start();
$tes2 = mysql_query("SELECT id FROM transaksi_sementara WHERE
id_member='$_SESSION[id]' ");
$ttes2 = mysql_num_rows($tes2);

$id2 = $_REQUEST[id2];
$nama = $_REQUEST[nama];
$alamat = $_REQUEST[alamat];
$pos = $_REQUEST[pos];
$kelurahan = $_REQUEST[kelurahan];
$telepon = $_REQUEST[telepon];
$email = $_REQUEST[email];
if( !is_numeric($telepon) ){ //untuk mengecek apakah variabel telepon
benar angka atau bukan jika bukan maka jalankan scrip berikut..
    echo "<script>alert('Anda salah memasukkan No
Telepon')</script>";
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php?view=endorder'></head><body></body></html>";
}
else{
mysql_query("INSERT INTO pengiriman (nama, alamat, id_kelurahan, tlp)
VALUES ('$nama', '$alamat','$kelurahan', '$telepon')");
$cekongkir = mysql_query("SELECT * FROM kelurahan WHERE
id_kelurahan='$kelurahan'");
    while($dataongkir=mysql_fetch_array($cekongkir)){
        $ongkir= $dataongkir['ongkir'];

$no_nota2 = mysql_insert_id();
$interval = 7;

$checkout1 = mysql_query("SELECT DATE_ADD(now(), INTERVAL $interval
DAY) as kadaluarsa, SUM(total) as sumtotal, now() as tglsaiki FROM
transaksi_sementara WHERE id_member=$_SESSION[id]");
while($tcheckout1=mysql_fetch_array($checkout1)){
                $id_member      = $_SESSION['id'];
                $tglsaiki      =
$tcheckout1['tglsaiki'];
                $sumtotal      = $tcheckout1['sumtotal'];
                // $sumberat1      =
$tcheckout1['sumberat'];
                $exp          =
$tcheckout1['kadaluarsa'];
                // $beaongkir      =
Songkir *

```

```

$sumberat;                                // $subtotal          = $beaongkir +
$sumtotal;
}
// if($sumberat1<=1){
// $sumberat=1;
// else{
// $sumberat=$sumberat1;
$beaongkir      = $ongkir;
$subtotal       = $beaongkir + $sumtotal;
$checkout = mysql_query("SELECT * FROM transaksi_sementara WHERE
id_member=$_SESSION[id]");
while($tcheckout=mysql_fetch_array($checkout)){
    $id_ordersmtr   = $tcheckout['id'];
    $kd_produk      =
$tcheckout['kd_produk'];
    $jumlah         =
$tcheckout['jumlah'];
    $harga           =
$tcheckout['harga'];
    // $berattotal     =
$tcheckout['berattotal'];
    $tanggal        =
$tcheckout['tanggal'];
}
if (($subtotal < 100000) || ($subtotal > 500000)) {
    echo "<script
language='javascript'>alert('Gagal. Pembelian minimal Rp 100000 dan
maksimal Rp 500000'); window.location
='index.php?view=chart';</script>";
} else {
mysql_query("INSERT INTO transaksi (no_nota, id_member, tgl_pesan,
ongkir, htotalbelanja) VALUES ('$no_nota2', $id_member,'$tglsaiki',
'$beaongkir', '$subtotal')");

for ($i = 0; $i < $ttes2; $i++){
$tcheckoutx = mysql_query("SELECT *      FROM transaksi_sementara WHERE
id_member=$_SESSION[id]");
while($tcheckoutz=mysql_fetch_array($checkoutx)){
    $id_member      = $_SESSION['id'];
    $id_ordersmtrz = $tcheckoutz['id'];
    $kd_produkz     =
$tcheckoutz['kd_produk'];
    $jumlahz        =
$tcheckoutz['jumlah'];
    $totalz         =
$tcheckoutz['total'];
}
if (($totalz < 100000) || ($totalz > 500000)) {
    echo "<script
language='javascript'>alert('Gagal. Pembelian minimal Rp 100000 dan

```

```

maksimal Rp 500000'); window.location
='index.php?view=chart';</script>";
} else {
    mysql_query("INSERT INTO detail_transaksi (no_nota, kd_produk,
jumlah, htotal) VALUES ($no_nota2, $kd_produkz, $jumlahz, $totalz)");
    mysql_query("DELETE FROM transaksi_sementara WHERE
id=$id_ordersmtrz");
}

}

}

//echo"<script language='javascript'>window.location
='index.php?lihat=checkout'</script>";

//tampil akhir....


$sqltampilpesan = "SELECT * FROM detail_transaksi, produk WHERE
no_nota = $no_nota2 and produk.kd_produk=detail_transaksi.kd_produk";
$tampilpesan = mysql_query($sqltampilpesan);
$sumhtotal1 = "SELECT SUM(htotal) as sumhtotal FROM
detail_transaksi, produk WHERE no_nota = $no_nota2 and
produk.kd_produk=detail_transaksi.kd_produk";
$sumhtotal = mysql_query($sumhtotal1);
$sqltampiltotal = "SELECT * FROM transaksi WHERE no_nota =
$no_nota2";
$tampiltotal = mysql_query($sqltampiltotal);

?

?>
<?php
// $total_bayar = 0;

// $stampildatapengiriman =
mysql_query("SELECT * FROM pengiriman, kelurahan WHERE no_nota =
'$no_nota2' and pengiriman.id_kelurahan=kelurahan.id_kelurahan");
$stampildatapengiriman =
mysql_query("SELECT * FROM pengiriman, kelurahan, kotamadya WHERE
no_nota = '$no_nota2' and
pengiriman.id_kelurahan=kelurahan.id_kelurahan and
kotamadya.id_kotamadya=kelurahan.id_kotamadya");
while ($datapengiriman =
mysql_fetch_array($stampildatapengiriman)) {
?>
<h1>Terima Kasih</h1>

<div class='checkout'>
<table border='0'
cellspacing='0' cellpadding='0'>
<?php
// $sqldatamember =
"SELECT * FROM member WHERE id_member = '$ SESSION[id]'";
```

```

// $datamember =
mysql_query($sqldatamember);
// while ($data2 =
mysql_fetch_array($datamember)) {

    $pesan=$datapengiriman['no_nota'];

        echo " <tr> <td
width=150>Nama</td> <td width=20>:</td> <td> $datapengiriman[nama]
</td></tr>
                                <tr> <td> Alamat
Lengkap </td> <td>:</td> <td>$datapengiriman[alamat]</td></tr>
                                <tr> <td>
Kelurahan</td> <td>:</td> <td>$datapengiriman[nama_kelurahan] (Dari
outlet terdekat 45 menit)</td></tr>
                                <tr> <td>
Wilayah</td> <td>:</td> <td>$datapengiriman[nama_kotamadya] </td></tr>
                                <tr> <td>
Telepon</td> <td>:</td> <td>$datapengiriman[tlp] </td></tr>
                                <tr> <td><b>
No. Nota </b> </td> <td>:</td> <td><b> $datapengiriman[no_nota]
</b></td> </tr> ";
}
} ?>
</table>
</div>
<p>

<center><div id='tabelchekout'>
<table border='0' cellspacing='0' cellpadding='0'>
    <tr>

<td><strong>No</strong></td>
                <td><strong><center>Nama
Produk</center></strong></td>
                <td
width=130><strong><center>Harga</center></strong></td>
                <td>
<strong><center>Qty</center></strong></td>
                <td
width=150><strong><center>Total</center></strong></td>
            </tr>

            <tr>
                <?php $no = 1;
                while ($data =
mysql_fetch_array($tampilpesan)) { ?>
                    <td><center><?php echo $no ;?></center></td>
                    <td><?php echo
$data['nama_produk'];?></td>
                    <td><center>Rp

```

```

<?php echo number_format($data['harga'],' ',',','.') ; ?>,-
</center></td>

<td><center><?php echo $data['jumlah'] ; ?> </center></td>
<td><center>Rp
<?php echo number_format($data['htotal'],' ',',','.') ; ?>,-
</center></td>
</tr>
<?php
    $no++;
}
while ($datasumhtotal =
mysql_fetch_array($sumhtotal)) {
    $total_bayar =
$datasumhtotal['sumhtotal'];
}
while ($data2 =
mysql_fetch_array($tampiltotal)) {
    ?>
    <tr>
        <td colspan=4
align=Right>Total Pesanan </td>
        <td><center> Rp.
<?php echo number_format($total_bayar,' ',',','.') ; ?>,-</center></td>
    </tr>
    <tr>
        <td colspan=4
align=Right>Ongkir </td>
        <td><center> Rp.
<?php echo number_format($data2['ongkir'],' ',',','.') ; ?>,-
</center></td>
    </tr>
    <tr>
        <td colspan=4
align=Right>Grand Total </td>
        <td><center> Rp.
<b><?php $grandT=$data2['htotalbelanja'];
echo
number_format($data2['htotalbelanja'],' ',',','.') ; ?></b>,-
</center></td>
    </tr>
    <tr colspan=5
rowspan=2 align=Right><td>
        <?php echo " <a
href='view/printnota.php?no_nota=$nopesan' target='_blank' ><img
src=images/print.png width=40 height=20 title='Print Your Order'></a>
"; ?></td></tr>
    </table></div></center>

```

```

<?php      echo "
            <div class=checkout>
                <ul>
                    <li>
                        * Data pesanan dan alamat
pengiriman anda telah kami terima.<br>
                    </li>
                    <li>
                        * Silahkan lakukan
pembayaran ke <b>Bank Mandiri no.rekening 900 00 2150077 3 a.n. Robin
Reza Pahlevi </b>sebesar Rp <b>" .number_format($grandT,'0','','','.') ;
                        mysql_query("UPDATE
datapengiriman SET totalbelanja='$grandT' WHERE id_pesanan =
$id_pesanan2");
                    echo" </b>,-
                </li>
                <li>
                    * Silahkan lakukan
konfirmasi pembayaran melalui menu Konfirmasi.
                </li>
                <li>
                    * Apabila anda tidak
melakukan pembayaran selama 1 hari maka data pesanan anda akan
terhapus (transaksi batal).
                </li>
                <li>
                    * Catat No. Pesan anda!
                </li>
            </ul>
        </div>";
// echo "<html><head><meta
content='0;url=include/notapesan.php?idpesan=$nopesan' target='_blank'
></head><body></body></html>";
// echo "<a href='include/notapesan.php?idpesan=$nopesan'
onmouseover='window.location=this.href' target='_blank'>";
// echo"<script language='javascript'>window.location
='notapesan.php?idpesan=$nopesan' target='_blank'</script>";

}
?>

```

```

<?php
echo (
<H1>Kantor Pusat  </H1>
<div class='Kantor Pusat'> <strong>WAROENG STEAK AND
SHAKE</strong><br>
JL Muja-Muju No 16 YOGYAKARTA<br>
Telpon : 0274-565237, 510664, 523438, 521878 <br> Fax 0274-510664<br>

```

```

Sms : 0856 4679 2698<br>
</div>
<!-- akhir form daftar -->
");
?>
```

```

<?
include "koneksi.php";
session_start();

$stampil= mysql_query("SELECT * from produk");

echo (" <h1>Daftar Menu</h1>");
while($hasil=mysql_fetch_array($stampil))
{
echo(" <div class='produkbaru'>

<a href='#' title='$hasil[deskripsi]'><img src='foto/$hasil[foto]' width='100' height='160'></a>
<div class='product_info'>
$hasil[nama_produk]<br>");
//format tanggal (nilai,'jumlah 0 dibelakang koma', 'pemisah o
dibelakang', 'pemisah ribuan'
$harga = number_format($hasil[harga], '0', ',', '.');
echo (" <h3>Rp $harga </h3>");
if ($hasil['stok']<=0) {
echo "<div class='buy_now_button'><a href='#'>Habis
Terjual</a></div>";
} else{
echo ("<div class='buy_now_button'><a
href='index.php?view=order&id=$hasil[kd_produk]'>Order
Now</a></div>");
echo ("</div>
<div class='cleaner'>&nbsp;</div>

</div>
");
}

echo "</center>";
?>
```

```

<?php
include "../koneksi.php";
$id=$_REQUEST['idorder'];
$hapus= ("delete from transaksi_sementara where id='$id'");
$hasil= mysql_query($hapus);
```

```

if (!$hasil)
die("Gagal Hapus karena :".mysql_error());
else
//echo "<script>alert('Data Buku Berhasil Dihapus')</script>";
echo "<html><head><meta http-equiv='refresh'
content='0;url=../index.php?view=chart'></head><body></body></html>";

?>

```

```

<?php
include "../koneksi.php";
$jumlah = $_REQUEST[jumlah];
$harga = $_REQUEST[harga];
$berat = $_REQUEST[berat];
$stok = $_REQUEST[stok];
$id = $_REQUEST[idproduk];
$berattotal = $berat * $jumlah;
$hargatotal = $harga * $jumlah;

if ($jumlah>$stok){
echo "<script>alert('Jumlah yang anda pesan melebihi stok yang ada.
Stok yang tersedia $stok ..'); window.location =
'../index.php?lihat=lihat_keranjang'</script>";
//http://localhost/bookstore/index.php?lihat=lihat_keranjang
}
else{
$update=("UPDATE transaksi_sementara set
                jumlah = '$jumlah',
                total = '$hargatotal'
                where id = '$id ');

$hasil=mysql_query($update);
if (!$hasil)
    echo "<script>alert('Gagal')</script>";
else
    //echo "<script>alert('Data Buku Berhasil Di
Edit')</script>";
    echo "<html><head><meta http-equiv='refresh'
content='0;url=../index.php?view=chart'></head><body></body></html>"; 
} ?>

```

```

<?php
include "koneksi.php";
session_start();
include "formpengiriman.php";      //menampilkan form data pengiriman
//if(empty($_GET['aksi'])){
/*
$stampil2 = mysql_query("select * from transaksi_sementara where
id_member='$_SESSION[id]' ");

```

```

$hasil2=mysql_fetch_array($stampil2);

if(!$hasil2){
echo"<script language='javascript'>alert('Keranjang belanja anda kosong. Silahkan belanja dahulu...')</script>";
echo "<html><head><meta http-equiv='refresh' content='0;url=index.php?lihat=produk'></head><body></body></html>";
} else{

$stampil = mysql_query("select * from transaksi_sementara where id_member='$_SESSION[id]' ");
$no = 1;
$saharga = 0;
echo "<h1>Keranjang Belanja</h1>
<table border='0'>
<tr>
<th>No</th>
<th>Judul</th>
<th >Harga</th>
<th >Jumlah</th>
<th >Total</th>
<th
colspan='2'>Aksi</th>
</tr>
";
while($hasil=mysql_fetch_array($stampil))
{
$jumlah= $hasil[jumlah];
$buku = mysql_query("select * from produk where kd_produk=$hasil[kd_produk] ");
while($hasilbuku=mysql_fetch_array($buku)){
$saharga = $harga;
$stok=$hasilbuku[stok];

//$harga = format_rupiah($hasil['harga']);
echo "
<form
action='include/editpesananelesai.php' method='get'>
<input type='hidden'
name='stok' value='$stok' />
<input type='hidden'
name='idproduk' value='$hasil[id]' />
<input type='hidden'
name='harga' value='$hasil[harga]' />
<input type='hidden'
name='berat' value='$hasil[berat]' />
<tr>
<td>$no</td>

<td>$hasilbuku[judul]</td>
<td

```

```

width=150><center>Rp " .number_format($hasil[harga], '0', ',', '.');
echo ",-</center></td>
<td><center><input
type='number' style='width:45%;' size='5' name='jumlah'
value='$jumlah' /></center></td>
<td
style='width:20%;'>Rp " .number_format($hasil[total], '0', ',', '.');
echo ",-</td>
<td><a
href='include/hapuspesan.php?idpesan=$hasil[id]'>
<img src =
images/delete.png width=20 height=20 title='Hapus'></a></td>
<td><input
class='buttonform' type='submit' name='submit' value='Perbarui'
title='Perbarui pesanan' /></td>
</tr>
</form>";
}
$no++;
}
$htotala = mysql_query("select sum(total) as htotal from
transaksi_sementara where id_member= '".$_SESSION[id]' ");
$thtotala=mysql_fetch_array($htotala);
echo "
<tr>
<td
colspan='7'><hr></td>
</tr>
<tr>
<td
colspan='4'>Jumlah Total Belanja</td>
<td>Rp
".number_format($thtotala[htotal], ',', '.', '.');
echo ",-</td>
</tr>
</table>
";
}
*/
?>
```

```

<?php
function konversi($tanggal)
{
    $format = array(
        'Jan' => 'Januari',
        'Feb' => 'Februari',
        'Mar' => 'Maret',
```

```

'Apr' => 'April',
'May' => 'Mei',
'Jun' => 'Juni',
'Jul' => 'Juli',
'Aug' => 'Agustus',
'Sep' => 'September',
'Oct' => 'Oktober',
'Nov' => 'November',
'Dec' => 'Desember'
);

return strtr($tanggal, $format);
}
$tgl=konversi(date('d M Y H:i:s',mktime(date("H")-1)))
?>

```

```

<script language="javascript">
var xmlhttp = createRequestObject();

function createRequestObject() {
    var ro;
    var browser = navigator.appName;
    if(browser == "Microsoft Internet Explorer"){
        ro = new ActiveXObject("Microsoft.XMLHTTP");
    }else{
        ro = new XMLHttpRequest();
    }
    return ro;
}

function dinamis(combobox)
{
    var kode = combobox.value;
    if (!kode) return;
    xmlhttp.open('get', 'view/get.php?kode='+kode, true);
    xmlhttp.onreadystatechange = function() {
        if ((xmlhttp.readyState == 4) && (xmlhttp.status == 200))
        {
            document.getElementById("tampilprodi").innerHTML =
xmlhttp.responseText;
        }
        return false;
    }
    xmlhttp.send(null);
}
</script>

<?php
$sqldatakirim = "SELECT * FROM member WHERE id_member='$_SESSION[id]'"

```

```

";
$datakirim2 = mysql_query($sqldatakirim);
$datakirim = mysql_fetch_array($datakirim2);
$id2 = $datakirim[id_member];
$nama = $datakirim[nama];
$alamat = $datakirim[alamat];
$pos = $datakirim[pos];
$telepon = $datakirim[tlp];
$email = $datakirim[email];
$nama = $datakirim[nama];
}

echo (
    <h1>Data Pengiriman</h1>
    <p>* Silahkan lengkapi data pengiriman anda</p>
<div class='reg'>
<form method='post' action='index.php?view=checkout'>
<table>
<tr>
    <input type='hidden' size='3' name='id2' value='$id2' readonly>
</tr>
<tr><td><div id='formdaftar'>Nama</div></td><td><input type='text' class='input' size='27' name='nama' value='$nama' style='width: 190px;' placeholder='Masukkan Nama anda' required/></td></tr>

<tr><td><div id='formdaftar'>Alamat</div></td><td><textarea height='5' style='width: 190px;' name='alamat' placeholder='Masukkan Alamat lengkap anda' required> $alamat</textarea></td></tr>

<tr><td><div id='formdaftar'>Wilayah</div></td><td>
<select name='kota' class='selectStyle' style='width: 190px; border: 600px' required onchange='javascript:dinamis(this)''>;
    ?
        <option value='' selected='''>- Pilih Wilayah-</option>
        <?php
            $sql = "select * from kotamadya ORDER BY nama_kotamadya";
            $stampil_kota= mysql_query($sql);
            while ($dt_kota =
mysql_fetch_array($stampil_kota)) {?>
                <option value="<?php echo
$dt_kota['id_kotamadya']; ?>"><?php echo $dt_kota['nama_kotamadya'];
?></option>
                <?php }
            ?>
<?php
echo "</select>
</td></tr>
<tr>

```

```

<td><div id='formdaftar'>Kelurahan</div></td>
<td><div id='tampilprodi'></div></td>
</tr>

<tr><td><div id='formdaftar'>Telepon</div></td><td><input style='width: 190px;' type='text' class='input' size='27' maxlength='13' name='telepon' value='$telepon' placeholder='Masukkan No.Tlp/Hp anda' required/></td></tr>

<tr><td></td><td><input type='submit' id='submitButton' value='Proses' /></td></tr>
</table>
</form> </div>
<!-- akhir form daftar --&gt;
");
?&gt;</pre>

```

```

<?php
include "../koneksi.php";

// echo "<select name=kelurahan style='width: 190px; border: 600px; required>";
echo "<select name='kelurahan' multiple='multiple' data-native-menu='false' style='width: 190px; border: 600px' data-icon='grid' data-iconpos='left' required>";
$sql2=mysql_query("SELECT kotamadya.id_kotamadya,
kotamadya.nama_kotamadya, kelurahan.nama_kelurahan as kelurahan,
kelurahan.id_kelurahan as idkel
FROM kelurahan, kotamadya
WHERE kotamadya.id_kotamadya = '$_GET[kode]' and
kotamadya.id_kotamadya=kelurahan.id_kotamadya ORDER BY kelurahan");
echo "<option value='' selected='''>- Pilih Kelurahan-</option>";
while ($row=mysql_fetch_array($sql2)){
    echo "
        <option value=$row[idkel]>$row[kelurahan]</option>";
}
echo "</select>";
?>
```

```

<?php
include "../koneksi.php";

// echo "<select name=onkos>";
$sql2=mysql_query("SELECT * FROM transaksi WHERE
no_nota='$_GET[kode]'");
while ($row=mysql_fetch_array($sql2)){
    // echo "<option
value=$row[ongkos_krm]>$row[ongkos_krm]</option>";
    echo "<input name='ongkos' type='hidden' id='pos' size='10'
```

```

style='width: 170px; border: 1px solid black; height: 20px' value='".$row[htotalbelanja]'.
readonly/>
    <label>$row[htotalbelanja]</label>";
}
// echo "</select>";
?>

```

```

<script language="javascript">
var xmlhttp = createRequestObject();

function createRequestObject() {
    var ro;
    var browser = navigator.appName;
    if(browser == "Microsoft Internet Explorer"){
        ro = new ActiveXObject("Microsoft.XMLHTTP");
    }else{
        ro = new XMLHttpRequest();
    }
    return ro;
}

function dinamis(combobox)
{
    var kode = combobox.value;
    if (!kode) return;
    xmlhttp.open('get', 'view/get2.php?kode='+kode, true);
    xmlhttp.onreadystatechange = function() {
        if ((xmlhttp.readyState == 4) && (xmlhttp.status == 200))
        {
            document.getElementById("tampilhtotalbelanja").innerHTML
= xmlhttp.responseText;
        }
        return false;
    }
    xmlhttp.send(null);
}
</script>
<?php
session_start();
if(empty($_SESSION[id])){
?>
    <script type="text/javascript">
        alert("Maaaf login dulu sebelum melakukan transaksi
pemesanan!");
    </script>
<?php
    echo "<meta http-equiv='refresh' content='0; url=index.php'>";
}

```

```

else{

$ceko = mysql_query("select no_nota from transaksi where
id_member='$_SESSION[id]'");
$tceko=mysql_fetch_array($ceko); //cek apakah ada transaksi benar ada
atau tidak
if(!$tceko){ //jika nomer pesan tidak ditemukan maka
    echo "<script>alert('Anda belum melakukan pemesanan')</script>";
    echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";
} else {
echo (
    <h1>Konfirmasi Pembayaran</h1>

<div class='konfirm'>
<form method='post' action='index.php?view=proseskonfirmasi'>
<table>
<tr>
    <input type='hidden' size='3' name='id2' value='$id2' readonly>
</tr>
<tr><td><div id='formdaftar'>No Nota</div></td><td>
<select name='no_nota' class='selectStyle' style='width: 190px;
border: 100px' required onchange='javascript:dinamis(this)'>
    ?
        <option value='' selected='''>- Pilih No Nota-</option>
        <?php
            $sql = "select no_nota from transaksi where
id_member='$_SESSION[id]' ORDER BY no_nota DESC LIMIT 1";
            $stampil_nonota= mysql_query($sql);
            while ($stampil_nota =
mysql_fetch_array($stampil_nonota)) {?>
                <option value="<?php echo
$stampil_nota['no_nota']; ?>><?php echo $stampil_nota['no_nota'];
?></option>
                <?php
            ?>
<?php
echo ("</select>
</td></tr>

<tr>
    <td width='100px'><div id='formdaftar'>Grand
Total</div></td>
    <td ><div id='tampilhtotalbelanja'></div></td>
</tr>

<tr><td><div id='formdaftar'>Pembayaran</div></td><td>
<input name='bayar' type='text' size='10' style='width: 170px;
border: 100px' placeholder='Nominal tanpa titik. Cth: 55000'
required/>

```

```

</td></tr>

<tr><td><div id='formdaftar'>Pesan</div></td><td><textarea height='5'
width='40' name='pesan' placeholder='Kirim pesan kepada
kami.. '></textarea></td></tr>

<tr><td></td><td><input type='submit' id='submitButton'
value='Proses' /> </td></tr>
</table>
</form> </div>
<!-- akhir form daftar -->
") ; } }

?>
```

```

<?
include "koneksi.php";
$kategori= mysql_query("Select id_kategori, (select nama from kategori
where produk.id_kategori=kategori.id_kategori) as nama_Kategori,
Count(*) as Jumlah
from produk
group by id_kategori");
while($hasil=mysql_fetch_array($kategori)) {
$nama = $hasil[nama_Kategori];
$kode = $hasil[id_kategori];
$jumlah = $hasil[Jumlah];
echo "<li><div id=link2> <a
href=index.php?view=produklist&field=id_kategori&kode=$kode><i> $nama
($jumlah)</i></a></div></li>";
}
?>
```

```

<?php

$email = $_REQUEST['email'];
// $passwordmember = md5($_REQUEST['passwordmember']);
// passwordmember
$passwordmember=$_POST[passwordmember];
$host = "localhost";
$user = "root";
$pwd = "root";
$db = "steak";

$sql = "select * from member where email='$email' and password
 ='$passwordmember';

$conn = @mysql_connect($host,$user,$pwd) or
die("Koneksi gagal : " . mysql_error());

mysql_select_db($db);
```

```

$qry = mysql_query($sql) or
die("Query salah : " . mysql_error());

$num = mysql_num_rows($qry);
$row = mysql_fetch_array($qry);

if ($num==0 OR $passwordmember!=$row['password']) {
    echo"<script language='javascript'>alert('Maaf!! Username atau
Password Anda Salah. Silahkan coba kembali atau daftar akun
baru.')</script>";
    echo"<script language='javascript'>window.location =
'../index.php?view=reg'</script>";

} else {
    session_start();
    session_register('nama');
    $_SESSION['nama']=$row['nama'];
    $_SESSION['id']=$row['id_member'];
/*
echo "<script>alert('Berhasil Login')</script>";echo
"<html><head><meta http-equiv='refresh'
content='0;url=index.php'></head><body></body></html>";*
*/
header("Location: ../index.php");
}
?>

```

```

<?php
    session_start();
    session_destroy();
    echo "<meta http-equiv='refresh' content='0; url=../index.php'>";
?>

```

```

<?php
include "koneksi.php";
session_start();
if(empty($_SESSION[id])){
?>
    <script type="text/javascript">
        alert("Mohon maaf anda harus mendaftar dulu sebelum
melakukan transaksi pesan");
    </script>
<?php
    echo "<meta http-equiv='refresh' content='0;
url=index.php?view=reg'>";
}
else{
    $kd_produk = $_GET['id'];
    $ceko = mysql_query("select*from transaksi_sementara where

```

```

kd_produk=$kd_produk");
$tceko=mysql_fetch_array($ceko);

if (!$tceko){
    $id_produk = $_GET['id'];
    $stampila = mysql_query("select*from produk where
kd_produk=$id_produk");
    while($hasil=mysql_fetch_array($stampila))
    {
        $idproduk      = $hasil['kd_produk'];
        $nama_produk   = $hasil['nama_produk'];
        $hargaproduk   = $hasil['harga'];
        $stokproduk    = $hasil['stok'];
    }
    mysql_query("insert into transaksi_sementara
(id_member, kd_produk, jumlah, tanggal, harga, total)
VALUES ('$_SESSION[id]', '$idproduk', 1, now(), '$hargaproduk',
'$hargaproduk' ) ");
    ?>
    <script type="text/javascript">
    alert("Pesanan berhasil");
    </script>
    <?php
    echo "<meta http-equiv='refresh' content='0;
url=index.php?view=daftarproduk'>";
    //include "lihat_keranjang.php";
} else{
    ?>
    <script type="text/javascript">
    alert("Pesanan sudah ada di keranjang belanja anda
sebelumnya");
    </script>
    <?php
    echo "<meta http-equiv='refresh' content='0;
url=index.php?view=chart'>";
}
}

```

```

<html>
<head>
<title>Nota Pesanan Anda</title>
<link href="styleprint.css" rel="stylesheet" type="text/css" />
</head>
<body>
<?php
echo (" <center><h2>Nota Pesanan</h2></center>");
include "../koneksi.php";
include "formattanggal.php";
$no_nota=$_REQUEST['no_nota'];
$query=mysql_query("SELECT * FROM pengiriman, kelurahan, kotamadya,

```

```

transaksi where pengiriman.no_nota=$no_nota and
transaksi.no_nota=$no_nota and
pengiriman.id_kelurahan=kelurahan.id_kelurahan and
kelurahan.id_kotamadya = kotamadya.id_kotamadya");
$no=1;
while($hasil=mysql_fetch_array($query)) {

// $ststuskonfirmasi= $hasil['status_konfirmasi'];
// if($ststuskonfirmasi=='BELUM'){
// $tglkonfirmasi='-';
// $pesan='-' ;
// else{
// $tglkonfirmasi=konversi(date('d M Y H:i:s',
strtotime($hasil['tgl_konfirmasi']))));
// $pesan=$hasil['keterangan'];

echo "
<center><div id='tabelnota'>
    <table border='0'>
        <tr>
            <td>No Nota </td>
            <td>:</td>
            <td colspan='3'> <b>$hasil[no_nota]</b></td>
        </tr>
        <tr>
            <td width='90'>Waktu Pesan </td>
            <td width='10'>:</td>

            <td width='425' colspan='3'>".konversi(date('d M Y H:i:s',
strtotime($hasil[tgl_pesan])))."</td>
        </tr>
        <tr>
            <td>Nama</td>
            <td>:</td>
            <td colspan='3'> $hasil[nama]</td>
        </tr>
        <tr>
            <td>Alamat</td>
            <td>:</td>
            <td colspan='3'> $hasil[alamat]</td>
        </tr>
        <tr>
            <td>Kelurahan</td>
            <td>:</td>
            <td colspan='3'> $hasil[nama_kelurahan]</td>
        </tr>
        <tr>
            <td>Wilayah</td>
            <td>:</td>
            <td colspan='3'> $hasil[nama_kotamadya]</td>
        </tr>

```

```

        <tr>
            <td>No. Telpon</td>
            <td>:</td>
            <td colspan='3'> $hasil[tlp]</td>
        </tr>

        <tr><td colspan=5>Silahkan lakukan pembayaran ke <b>Bank
Mandiri no.rekening 900 00 2150077 3 a.n. Robin Reza Pahlevi </b>
</td></tr>
    </table></div></center>";
}

$detailpesan1=mysql_query("SELECT * FROM detail_transaksi, produk
where no_nota=$no_nota and
detail_transaksi.kd_produk=produk.kd_produk");
if (!$detailpesan1)
die("Gagal Query data buku karena :".mysql_error());
echo ("<br>
<center><table rules='all'>
<tr>
<th width=20>No</th>
<th>Nama Produk</th>
<th>Qty</th>
<th width=130>Harga</th>
<th width=130>Total</th>
</tr>
");
$no = 1;
while($detailpesan=mysql_fetch_array($detailpesan1))
{
echo "<tr> ";
echo "<td><center>".$no."</center></td>";
echo "<td>".$detailpesan[nama_produk]."</td>";
echo "<td><center>".$detailpesan[jumlah]."</center></td>";
echo "<td>Rp. ".number_format($detailpesan[harga],',','.',',')."-</td>";
echo "<td>Rp. ".number_format($detailpesan[htotal],',','.',',')."-</td>";
echo "</tr>";
$no++;
}
$htotala = mysql_query("select sum(htotal) as sumhtotal from
detail_transaksi where no_nota= $no_nota");
$thtotala=mysql_fetch_array($htotala);
echo "<tr>
        <td colspan='7'><hr></td>
    </tr>
    <tr>
        <td colspan='2'></td>
        <td colspan='2'>Total Pesan      </td>
        <td colspan='2'>Rp.

```

```

".number_format($thtotala[sumhtotal],'0','','','.') .", -</td>
                </tr>";}
$cektblpesan1 = mysql_query("select * from transaksi where no_nota=
$no_nota");
$cektblpesan=mysql_fetch_array($cektblpesan1);
echo "<tr>
                <td colspan='2'></td>
                <td colspan='2'>Ongkos Kirim </td>
                <td colspan='2'>Rp.
".number_format($cektblpesan[ongkir],'0','','','.') .", -</td>
                </tr>
                <tr>
                <td colspan='2'></td>
                <td colspan='2'><b>Sub Total Pesan</b></td>
                <td colspan='2'><strong>Rp.
".number_format($cektblpesan[htotalbelanja],'0','','','.') .", -
</strong></td>
                </tr>";
// echo"<a href='index.php?lihat=lihatpesan'><img src = back.png
width=20 height=20 title='Kembali'></a>";
?>
<script language="javascript">
function printPage() {
    document.getElementById('print').style.visibility = 'hidden';
    if (typeof(window.print) != 'undefined') {
        window.print();
    }
    document.getElementById('print').style.visibility = '';
}</script>
<?php
echo "</table>
<p><input name='print' type='button' id='print' onClick='javascript:
printPage()' value='Print' title='Cetak Data Pesan'/'>&nbsp; </p>
</center>";
?>
</body>
</html>

```

```

<?
include "koneksi.php";
session_start();

$stampil= mysql_query("SELECT produk.kd_produkt, produk.nama_produkt,
produk.harga, produk.stok , produk.foto, SUM(detail_transaksi.jumlah)
as jumlah
        FROM detail_transaksi, produk
WHERE detail_transaksi.kd_produkt=produk.kd_produkt
        GROUP BY detail_transaksi.kd_produkt ORDER BY jumlah DESC LIMIT
5");

```

```

echo (" <h1>Menu Favorit</h1>");
while($hasil=mysql_fetch_array($tampil))
{
echo (" <div class='produkbaru'>

<a href='#' title='$hasil[deskripsi]'><img src='foto/$hasil[foto]' width='100' height='160'></a>
<div class='product_info'>
$hasil[nama_produk]<br>");
//format tanggal (nilai,'jumlah 0 dibelakang koma', 'pemisah o
dibelakang', 'pemisah ribuan'
$harga = number_format($hasil[harga], '0', ',', '.');
echo (" <h3>Rp $harga </h3>");
if ($hasil['stok']<=0) {
echo "<div class='buy_now_button'><a href='#'>Habis
Terjual</a></div>";
}
else{
echo ("<div class='buy_now_button'><a
href='index.php?view=order&id=$hasil[kd_produk]'>Order
Now</a></div>");
}
echo ("</div>
<div class='cleaner'>&nbsp;</div>

</div>
");
}

echo "</center>";
?>

```

```

<?
include "koneksi.php";
session_start();

$kode=$_GET['kode'];
$field=$_GET['field'];
$kolom=$_REQUEST['kolom'];
// $kolom = $_REQUEST['kolom'];
$cari = $_REQUEST['cari'];
$tampil= mysql_query("SELECT * FROM produk where $field='$kode'");
$tampil2= mysql_query("SELECT * FROM kategori where $field='$kode'");
while($hasil2=mysql_fetch_array($tampil2))
{$nama=$hasil2[nama];
echo (" <h1>Semua $nama</h1>");
while($hasil=mysql_fetch_array($tampil))
{
echo (" <div class='produkbaru'>

<a href='#' title='$hasil[deskripsi]'><img src='foto/$hasil[foto]' width='100' height='160'></a>
<div class='product_info'>
$hasil[nama_produk]<br>");
```

```

width='100' height='160'></a>
<div class='product_info'>
$hasil[nama_produk]<br>");
//format tanggal (nilai,'jumlah 1 dibelakang koma', 'pemisah o
dibelakang', 'pemisah ribuan'
$harga = number_format($hasil[harga], '1', ',', '.');
echo (" <h3>Rp $harga </h3>");
if ($hasil['stok']<=1) {
echo "<div class='buy_now_button'><a href='#!'>Habis
Terjual</a></div>";
} else{
echo ("<div class='buy_now_button'><a
href='index.php?view=order&id=$hasil[kd_produk]' title='ORDER
NOW!'>Order Now</a></div>");
echo ("</div>
<div class='cleaner'>&nbsp;</div>

</div>
");
}
?>

```

```

<?php
include('koneksi.php');
$no_nota    = $_POST['no_nota'];
$bayar      = $_POST['bayar'];
$pesan      = $_POST['pesan'];

$ceko = mysql_query("select * from transaksi where
no_nota='$no_nota'");
$tceko=mysql_fetch_array($ceko);
if($tceko['status_byr']=='SUDAH'){
echo "<script>alert('Anda sudah melakukan proses konfirmasi
sebelumnya')</script>";
echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php?view=konfirmasi'></head><body></body></html>";
}
else if( !is_numeric($bayar) ){ //untuk mengecek apakah variabel
bayar benar angka atau bukan jika bukan maka jalankan scrip berikut..
echo "<script>alert('Anda salah memasukkan nilai
Pembayaran')</script>";
echo "<html><head><meta http-equiv='refresh'
content='0;url=index.php?view=konfirmasi'></head><body></body></html>";
}
else{ //jika variabel bayar angka maka jalankan query UPDATE
$sql   = "UPDATE transaksi SET tgl_konfirmasi=now(), jmlbayar='$bayar',

```

```

status_byr = 'SUDAH', pesan='$pesan' WHERE no_nota='$no_nota';

$hasil4=mysql_query($sql);
if(!$hasil4){
    echo "<script>alert('Gagal Konfirmasi')</script>";
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php?view=konfirmasi'></head><body></body></html>";
;
}
else{
    echo "<script>alert('Anda telah berhasil Konfirmasi, Terimakasih !')</script>";
    echo "<html><head><meta http-equiv='refresh' content='0;url=index.php'></head><body></body></html>";
}
?>

```

```

<?php
echo (
<h1>PENDAFTARAN MEMBER</h1>
<div class='reg'>
<form method='post' action='view/simpanmember.php'>
<table>
<tr><td><div id='formdaftar'>Nama</div></td><td><input type='text' class='input' size='27' name='nama' placeholder='Masukkan Nama anda' required /></td></tr>

<tr><td><div id='formdaftar'>Email</div></td><td><input type='email' class='input' size='27' name='email' placeholder='Masukkan Email anda' required /></td></tr>

<tr><td><div id='formdaftar'>Telepon</div></td><td><input type='text' class='input' size='27' maxlength='13' name='tlp' placeholder='Masukkan No.Telepon/HP anda' required /></td></tr>

<tr><td><div id='formdaftar'>Alamat</div></td><td><textarea height='5' width='100' name='alamat' placeholder='Masukkan alamat lengkap anda' required ></td></tr>

<tr><td><div id='formdaftar'>Password</div></td><td><input type='text' class='input' size='27' name='pass' placeholder='Masukkan Password anda' required /></td></tr>

<tr><td></td><td><input type='reset' id='submitButton' value='Hapus' /><input type='submit' id='submitButton' value='Daftar' /> </td></tr>
</table>
</form>
</div>
<!-- akhir form daftar -->

```

");  
?>

```
<?php  
  
include('..../koneksi.php');  
$nama=$_POST['nama'];  
$email=$_POST['email'];  
$tlp=$_POST['tlp'];  
$alamat=$_POST['alamat'];  
$kota=$_POST['kota'];  
$pass=$_POST['pass'];  
// $password=md5($_POST['password']);  
  
if( !is_numeric($tlp) ){ //untuk mengecek apakah telepon benar angka  
atau bukan jika bukan maka jalankan scrip berikut..  
    echo "<script>alert('Anda salah memasukkan no  
Telepon')</script>";  
    echo "<html><head><meta http-equiv='refresh'  
content='0;url=..../index.php?view=reg'></head><body></body></html>";  
}  
else{  
  
$ceko = mysql_query("select * from member where email='$email'");  
$tceko=mysql_fetch_array($ceko);  
if(!$tceko){  
  
    mysql_query("insert into member  
(nama,email,tlp,alamat,kota,password)  
values ('$nama','$email','$tlp','$alamat','$kota','$pass')");  
    echo "<script>alert('Thank you for Registration!! Please login  
for order items..')</script>";  
    echo "<html><head><meta http-equiv='refresh'  
content='0;url=..../index.php'></head><body></body></html>";  
  
}  
else {  
    echo "<script>alert('Anda sudah terdaftar sebelumnya. Silahkan  
melakukan Login...')</script>";  
    echo "<html><head><meta http-equiv='refresh'  
content='0;url=..../index.php'></head><body></body></html>"; }  
}  
?>
```

```
-- Table structure for table `admin`  
--
```

```

CREATE TABLE `admin` (
  `id_admin` int(5) NOT NULL auto_increment,
  `nama` varchar(100) NOT NULL,
  `username` varchar(50) NOT NULL,
  `password` varchar(50) NOT NULL,
  PRIMARY KEY (`id_admin`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=6 ;

-- 
-- Dumping data for table `admin`
-- 

INSERT INTO `admin` VALUES (1, 'Robbin Reza Pahlevi', 'admin',
'admin');
INSERT INTO `admin` VALUES (4, 'dison', 'akakom', 'akakom');
INSERT INTO `admin` VALUES (3, 'agus', '12345', '12345');
INSERT INTO `admin` VALUES (5, 'alen', 'alen', 'alen');

```

```

-- Table structure for table `detail_transaksi`
-- 

CREATE TABLE `detail_transaksi` (
  `id_detail` int(5) NOT NULL auto_increment,
  `no_nota` int(5) NOT NULL,
  `kd_produk` int(5) NOT NULL,
  `jumlah` int(4) NOT NULL,
  `htotal` int(10) NOT NULL,
  PRIMARY KEY (`id_detail`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=4 ;

-- 
-- Dumping data for table `detail_transaksi`
-- 

INSERT INTO `detail_transaksi` VALUES (1, 1, 130, 5, 175000);
INSERT INTO `detail_transaksi` VALUES (2, 2, 147, 10, 125000);
INSERT INTO `detail_transaksi` VALUES (3, 4, 157, 10, 125000);

```

```

-- Table structure for table `kategori`
-- 

CREATE TABLE `kategori` (
  `id_kategori` int(6) unsigned NOT NULL auto_increment,
  `nama` varchar(50) NOT NULL,
  `deskripsi` text NOT NULL,
  PRIMARY KEY (`id_kategori`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=15 ;

```

```

-- 
-- Dumping data for table `kategori` 

-- 

INSERT INTO `kategori` VALUES (12, 'Camilan', 'aneka makanan ringan yang lezat');
INSERT INTO `kategori` VALUES (11, 'Minuman', 'Minuman yang berkualitas');
INSERT INTO `kategori` VALUES (10, 'Makanan', 'Semua makanan steak enak');

```

```

CREATE TABLE `kelurahan` (
  `id_kelurahan` int(11) NOT NULL auto_increment,
  `nama_kelurahan` varchar(155) NOT NULL,
  `id_kotamadya` int(11) default NULL,
  `ongkir` int(50) NOT NULL,
  PRIMARY KEY (`id_kelurahan`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=161 ;

-- 
-- Dumping data for table `kelurahan` 
-- 

INSERT INTO `kelurahan` VALUES (23, 'Condong Catur', 1, 10000);
INSERT INTO `kelurahan` VALUES (2, 'Piyungan', 3, 10000);
INSERT INTO `kelurahan` VALUES (22, 'Bausasran', 1, 10000);
INSERT INTO `kelurahan` VALUES (21, 'Tegal Panggung', 1, 10000);
INSERT INTO `kelurahan` VALUES (9, 'Terban', 2, 5000);
INSERT INTO `kelurahan` VALUES (7, 'Sewon', 3, 10000);
INSERT INTO `kelurahan` VALUES (8, 'Kusumanegara', 2, 5000);
INSERT INTO `kelurahan` VALUES (10, 'KotaBaru', 2, 5000);
INSERT INTO `kelurahan` VALUES (11, 'Tegalrejo', 2, 5000);
INSERT INTO `kelurahan` VALUES (12, 'Rejowinangun', 2, 5000);
INSERT INTO `kelurahan` VALUES (13, 'Ngampilan', 2, 5000);
INSERT INTO `kelurahan` VALUES (14, 'Pakuncen', 2, 5000);
INSERT INTO `kelurahan` VALUES (15, 'Dayu', 3, 10000);
INSERT INTO `kelurahan` VALUES (16, 'Sinduadi', 3, 10000);
INSERT INTO `kelurahan` VALUES (17, 'Bunyah Rejo', 3, 10000);
INSERT INTO `kelurahan` VALUES (18, 'Bangun Tapan ', 1, 10000);
INSERT INTO `kelurahan` VALUES (19, 'Catur Tunggal', 1, 10000);
INSERT INTO `kelurahan` VALUES (20, 'Maguwo Harjo', 1, 10000);
INSERT INTO `kelurahan` VALUES (24, 'Sawit Sari', 2, 5000);
INSERT INTO `kelurahan` VALUES (25, 'Gampuing', 2, 5000);
INSERT INTO `kelurahan` VALUES (26, 'Pringgo Kusumo', 2, 5000);
INSERT INTO `kelurahan` VALUES (27, 'Sosromenduran', 2, 5000);
INSERT INTO `kelurahan` VALUES (28, 'Bacirop', 2, 5000);
INSERT INTO `kelurahan` VALUES (29, 'Blimbing Sari', 2, 5000);
INSERT INTO `kelurahan` VALUES (30, 'Demangan', 2, 5000);
INSERT INTO `kelurahan` VALUES (31, 'GondoKusuman', 2, 5000);
INSERT INTO `kelurahan` VALUES (32, 'KlitrenLor', 2, 5000);

```

```

INSERT INTO `kelurahan` VALUES (33, 'Sagan', 2, 5000);
INSERT INTO `kelurahan` VALUES (34, 'Bumujo', 2, 5000);
INSERT INTO `kelurahan` VALUES (35, 'CokroDirjan', 2, 5000);
INSERT INTO `kelurahan` VALUES (36, 'Gowongan', 1, 5000);
INSERT INTO `kelurahan` VALUES (37, 'Jetis Harjo', 1, 5000);
INSERT INTO `kelurahan` VALUES (38, 'Tegal Rejo', 1, 5000);
INSERT INTO `kelurahan` VALUES (39, 'Kadipaten', 1, 5000);
INSERT INTO `kelurahan` VALUES (40, 'Panembahan', 1, 5000);
INSERT INTO `kelurahan` VALUES (41, 'Gedong Kiwo', 1, 5000);
INSERT INTO `kelurahan` VALUES (42, 'Patehan', 1, 5000);
INSERT INTO `kelurahan` VALUES (43, 'Wirogunan', 1, 5000);
INSERT INTO `kelurahan` VALUES (44, 'Nptoprajan', 1, 5000);
INSERT INTO `kelurahan` VALUES (45, 'Gunung Ketur', 1, 5000);
INSERT INTO `kelurahan` VALUES (46, 'Purwokinanti', 1, 5000);
INSERT INTO `kelurahan` VALUES (47, 'Bener', 1, 5000);
INSERT INTO `kelurahan` VALUES (48, 'Karang Waru', 1, 5000);
INSERT INTO `kelurahan` VALUES (49, 'Kricak', 1, 5000);
INSERT INTO `kelurahan` VALUES (50, 'Giwangan', 1, 5000);
INSERT INTO `kelurahan` VALUES (51, 'Muja-muju', 1, 5000);
INSERT INTO `kelurahan` VALUES (52, 'Pandean', 1, 5000);
INSERT INTO `kelurahan` VALUES (53, 'Semaki', 1, 5000);
INSERT INTO `kelurahan` VALUES (54, 'Soroasutan', 1, 5000);
INSERT INTO `kelurahan` VALUES (55, 'Tahunan', 1, 5000);
INSERT INTO `kelurahan` VALUES (56, 'Warung Boto', 1, 5000);
INSERT INTO `kelurahan` VALUES (57, 'Pakuncen', 1, 5000);
INSERT INTO `kelurahan` VALUES (58, 'Patang Puluhan', 1, 5000);
INSERT INTO `kelurahan` VALUES (59, 'Wiri Brajan', 1, 5000);
INSERT INTO `kelurahan` VALUES (60, 'Rejeg Kidul', 3, 10000);
INSERT INTO `kelurahan` VALUES (61, 'Rejeg Kidul', 3, 10000);
INSERT INTO `kelurahan` VALUES (62, 'Rejeg Kidul', 3, 10000);
INSERT INTO `kelurahan` VALUES (63, 'Jetis', 3, 10000);
INSERT INTO `kelurahan` VALUES (64, 'Bedog', 3, 10000);
INSERT INTO `kelurahan` VALUES (65, 'Kawedan', 3, 10000);
INSERT INTO `kelurahan` VALUES (66, 'Salakan', 3, 10000);
INSERT INTO `kelurahan` VALUES (67, 'Mlagi', 3, 10000);
INSERT INTO `kelurahan` VALUES (68, 'Pundong', 3, 10000);
INSERT INTO `kelurahan` VALUES (69, 'Nogosaren', 3, 10000);
INSERT INTO `kelurahan` VALUES (70, 'Ngabean', 3, 10000);
INSERT INTO `kelurahan` VALUES (71, 'Cancran', 3, 10000);
INSERT INTO `kelurahan` VALUES (72, 'Tinon', 3, 10000);
INSERT INTO `kelurahan` VALUES (73, 'Bantulan', 3, 10000);
INSERT INTO `kelurahan` VALUES (74, 'Sawahan', 3, 10000);
INSERT INTO `kelurahan` VALUES (75, 'Karang Malang', 3, 10000);
INSERT INTO `kelurahan` VALUES (76, 'Tegalan', 3, 10000);
INSERT INTO `kelurahan` VALUES (77, 'Beji', 3, 10000);
INSERT INTO `kelurahan` VALUES (78, 'Rageg Lor', 3, 10000);
INSERT INTO `kelurahan` VALUES (79, 'Beluran', 3, 10000);
INSERT INTO `kelurahan` VALUES (80, 'Ngernak Lor', 3, 10000);
INSERT INTO `kelurahan` VALUES (81, 'Karankan', 3, 10000);
INSERT INTO `kelurahan` VALUES (82, 'Depok', 3, 10000);
INSERT INTO `kelurahan` VALUES (83, 'Ngrajeg wetan', 3, 10000);

```

```

INSERT INTO `kelurahan` VALUES (84, 'Simping', 3, 10000);
INSERT INTO `kelurahan` VALUES (85, 'Kragilan', 3, 10000);
INSERT INTO `kelurahan` VALUES (86, 'Pete', 3, 10000);
INSERT INTO `kelurahan` VALUES (87, 'Ngernak kidul', 3, 10000);
INSERT INTO `kelurahan` VALUES (88, 'Betokan', 3, 10000);
INSERT INTO `kelurahan` VALUES (89, 'Gumukindah', 3, 10000);
INSERT INTO `kelurahan` VALUES (90, 'Cambahan', 3, 10000);
INSERT INTO `kelurahan` VALUES (91, 'Gombang', 3, 10000);
INSERT INTO `kelurahan` VALUES (92, 'Cokrokonteng', 3, 10000);
INSERT INTO `kelurahan` VALUES (93, 'Cokrobedog', 3, 10000);
INSERT INTO `kelurahan` VALUES (94, 'Kramat', 3, 10000);
INSERT INTO `kelurahan` VALUES (95, 'Potrowangsan', 3, 10000);
INSERT INTO `kelurahan` VALUES (96, 'Kradenan', 3, 10000);
INSERT INTO `kelurahan` VALUES (97, 'Mejing Lor', 3, 10000);
INSERT INTO `kelurahan` VALUES (98, 'Ngentak', 3, 10000);
INSERT INTO `kelurahan` VALUES (99, 'Mejing Kidul', 3, 10000);
INSERT INTO `kelurahan` VALUES (100, 'Dowangan', 3, 10000);
INSERT INTO `kelurahan` VALUES (101, 'Kaliabu', 3, 10000);
INSERT INTO `kelurahan` VALUES (102, 'Mejing Wetan', 3, 10000);
INSERT INTO `kelurahan` VALUES (103, 'Gamping Lor', 3, 10000);
INSERT INTO `kelurahan` VALUES (104, 'Ambarketawang', 3, 10000);
INSERT INTO `kelurahan` VALUES (105, 'Gamping Tengah', 3, 10000);
INSERT INTO `kelurahan` VALUES (106, 'Tlogo', 3, 10000);
INSERT INTO `kelurahan` VALUES (107, 'Tlogo Lor', 3, 10000);
INSERT INTO `kelurahan` VALUES (108, 'Ngebel', 3, 10000);
INSERT INTO `kelurahan` VALUES (109, 'Tlogo Kidul', 3, 10000);
INSERT INTO `kelurahan` VALUES (110, 'kalimanjung', 3, 10000);
INSERT INTO `kelurahan` VALUES (111, 'Kaliwaru', 2, 5000);
INSERT INTO `kelurahan` VALUES (112, 'Samirono', 2, 5000);
INSERT INTO `kelurahan` VALUES (113, 'Purbonegaran', 2, 5000);
INSERT INTO `kelurahan` VALUES (114, 'Kota Baru', 2, 5000);
INSERT INTO `kelurahan` VALUES (115, 'Pengokperumka', 2, 5000);
INSERT INTO `kelurahan` VALUES (116, 'Pengok Kidul', 2, 5000);
INSERT INTO `kelurahan` VALUES (117, 'Jogoyudan', 2, 5000);
INSERT INTO `kelurahan` VALUES (118, 'Pringwulung', 1, 10000);
INSERT INTO `kelurahan` VALUES (119, 'Pringgolayan', 1, 10000);
INSERT INTO `kelurahan` VALUES (120, 'TegialSari', 1, 10000);
INSERT INTO `kelurahan` VALUES (121, 'Klaseman', 1, 10000);
INSERT INTO `kelurahan` VALUES (122, 'Manukan', 1, 10000);
INSERT INTO `kelurahan` VALUES (123, 'Tegalmojo', 1, 10000);
INSERT INTO `kelurahan` VALUES (124, 'Jongkang', 1, 10000);
INSERT INTO `kelurahan` VALUES (125, 'Jombor Lor', 1, 10000);
INSERT INTO `kelurahan` VALUES (126, 'Jombor Kidul', 1, 10000);
INSERT INTO `kelurahan` VALUES (127, 'Nglemponsari', 1, 10000);
INSERT INTO `kelurahan` VALUES (128, 'PogungLor', 1, 10000);
INSERT INTO `kelurahan` VALUES (129, 'Babandan', 1, 10000);
INSERT INTO `kelurahan` VALUES (130, 'Karangwuni', 1, 10000);
INSERT INTO `kelurahan` VALUES (131, 'Sanggrahan', 1, 10000);
INSERT INTO `kelurahan` VALUES (132, 'Nropoh', 1, 10000);
INSERT INTO `kelurahan` VALUES (133, 'Gempol', 1, 10000);
INSERT INTO `kelurahan` VALUES (134, 'Sambirejo', 1, 10000);

```

```

INSERT INTO `kelurahan` VALUES (135, 'Sopalan', 1, 10000);
INSERT INTO `kelurahan` VALUES (136, 'Karangnongko', 1, 10000);
INSERT INTO `kelurahan` VALUES (137, 'Pomahan', 1, 10000);
INSERT INTO `kelurahan` VALUES (138, 'Pasekan', 1, 10000);
INSERT INTO `kelurahan` VALUES (139, 'Maguwo', 1, 10000);
INSERT INTO `kelurahan` VALUES (140, 'Bedreg', 1, 10000);
INSERT INTO `kelurahan` VALUES (141, 'Tapan', 1, 10000);
INSERT INTO `kelurahan` VALUES (142, 'Ringin', 1, 10000);
INSERT INTO `kelurahan` VALUES (143, 'Kadirojo Satu', 1, 10000);
INSERT INTO `kelurahan` VALUES (144, 'Pundong Rejo', 1, 10000);
INSERT INTO `kelurahan` VALUES (145, 'Kembang', 1, 10000);
INSERT INTO `kelurahan` VALUES (146, 'Seturan', 1, 10000);
INSERT INTO `kelurahan` VALUES (147, 'Corongan', 1, 10000);
INSERT INTO `kelurahan` VALUES (148, 'Pugeran', 1, 10000);
INSERT INTO `kelurahan` VALUES (149, 'Sangrahan', 1, 10000);
INSERT INTO `kelurahan` VALUES (150, 'Kopenrejo', 1, 10000);
INSERT INTO `kelurahan` VALUES (151, 'Gandekan', 1, 10000);
INSERT INTO `kelurahan` VALUES (152, 'Wonocatur', 1, 10000);
INSERT INTO `kelurahan` VALUES (153, 'Tlogoworo', 1, 10000);
INSERT INTO `kelurahan` VALUES (154, 'Jagalan', 1, 10000);
INSERT INTO `kelurahan` VALUES (155, 'Bakungan', 1, 10000);
INSERT INTO `kelurahan` VALUES (156, 'Kepuh', 1, 10000);
INSERT INTO `kelurahan` VALUES (157, 'Grogol', 1, 10000);
INSERT INTO `kelurahan` VALUES (158, 'Tangkisan', 1, 10000);
INSERT INTO `kelurahan` VALUES (159, 'Karangploso', 1, 10000);
INSERT INTO `kelurahan` VALUES (160, 'Candisari', 1, 10000);

```

```

-- Table structure for table `kotamadya`
--

CREATE TABLE `kotamadya` (
  `id_kotamadya` int(3) NOT NULL auto_increment,
  `nama_kotamadya` varchar(100) NOT NULL,
  `ongkir` int(10) NOT NULL,
  PRIMARY KEY (`id_kotamadya`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=8 ;

--

-- Dumping data for table `kotamadya`
--

INSERT INTO `kotamadya` VALUES (1, 'Kabupaten Sleman', 10000);
INSERT INTO `kotamadya` VALUES (2, 'Kota Yogyakarta', 5000);
INSERT INTO `kotamadya` VALUES (3, 'Kabupaten Bantul', 10000);

```

```

-- Table structure for table `member`
--

CREATE TABLE `member` (

```

```

`id_member` int(5) NOT NULL auto increment,
`nama` varchar(100) character set latin1 NOT NULL,
`email` text NOT NULL,
`tlp` varchar(13) character set latin1 collate latin1_bin NOT NULL,
`alamat` text NOT NULL,
`kota` varchar(20) NOT NULL,
`password` char(40) character set latin1 NOT NULL,
PRIMARY KEY (`id_member`),
FULLTEXT KEY `nama` (`nama`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=98 ;

-- 
-- Dumping data for table `member`
-- 

INSERT INTO `member` VALUES (39, 'Muhammad Ali', 'Alicakep@yahoo.com',
0x30323734363535323331, 'Jln Gejayan no 84 yogyakarta', '', '84');
INSERT INTO `member` VALUES (40, 'Yulia Nur Cahyani',
'Yulia@yahoo.com', 0x303835363437343833333337, 'Jln Kumbang Moro No 3
Danukusuman surakarta', '', '3337');
INSERT INTO `member` VALUES (97, 'Robbin Reza Pahlevi',
'Robbin@yahoo.com', 0x303835363436373932363938, 'cokro', '',
'200389');
INSERT INTO `member` VALUES (48, 'Henry', 'Henry@yahoo.com',
0x303835373237313337333937, 'Jln Gejayan', '', '123');
INSERT INTO `member` VALUES (50, 'Nova', 'Nova@yahoo.com',
0x303831333131393934393531, 'Jln.Kusumaanegara', '', '5611');
INSERT INTO `member` VALUES (51, 'Muhammad Yunus', 'Yunus@yahoo.com',
0x303835363436373932363938, 'Jln.Adi sucipto No 23 Yogyakarta', '',
'2323');
INSERT INTO `member` VALUES (52, 'Hendri', 'wis_mlebu@yahoo.co.id',
0x303835363436373932363938, 'jil. Ganesa II', '', '353482');
INSERT INTO `member` VALUES (55, 'Dwi Putro', 'Dwi@yahoo.com',
0x30383536373732313231, 'Jln.Yosudarso 67', '', '4545');
INSERT INTO `member` VALUES (57, 'Dewi Putri', 'Dewi@yahoo.com',
0x30383137373733231363531, 'Jln. Demanagan 12', '', '6700');
INSERT INTO `member` VALUES (58, 'Rizki', 'Rizki@yahoo.com',
0x303835383233323435353637, 'Jln Gedong Kuning NO 46', '', '0004');
INSERT INTO `member` VALUES (59, 'Junita sari', 'Junita@yahoo.com',
0x30323731373837383131, 'Jln Sudirman no 69', '', '1910');
INSERT INTO `member` VALUES (60, 'Lia ', 'Lia@yahoo.com',
0x30383939333131323331, 'Jln Bugisan 21', '', '21');
INSERT INTO `member` VALUES (70, 'Aswan Putra', 'Aswan@yahoo.com',
0x303237343433343434, 'Jln Kapten tendean 36 yogyakarta', '', '1000');
INSERT INTO `member` VALUES (71, 'Anwar', 'Anwar@yahoo.com',
0x3038393937323233303334, 'Jln Abu Bakar no 132 Yogyakarta', '',
'132');
INSERT INTO `member` VALUES (73, 'Ina Putri', 'Ina@yahoo.com',
0x30323734363736373232, 'Jln kusuma negara no 65', '', '165');
INSERT INTO `member` VALUES (74, 'Ria Hamala', 'Ria@yahoo.com',
0x3038313930313233373635, 'Jln S paraman no 31 yogyakarta', '')

```

```

'0102');
INSERT INTO `member` VALUES (78, 'Wulan Sari Putri',
'Wulan@yahoo.com', 0x303837373931323335353233, 'Jln. Kapten Tendean
no 51 Yogyakarta', '', '151');
INSERT INTO `member` VALUES (89, 'Lusi widaryanti', 'Lusi@yahoo.com',
0x303831373737313431343139, 'Jln Cokroamonoto no 49 Yogyakarta', '',
'081');
INSERT INTO `member` VALUES (80, 'Reza Rahardian', 'Reza@yahoo.com',
0x303835363436373932363938, 'Jln Sultan Agung 165', '', '165');
INSERT INTO `member` VALUES (83, 'Yudi', 'Yudi@yahoo.com',
0x3038313930313233373635, 'Jln. Diponegoro 175 Yogyakarta', '',
'175');
INSERT INTO `member` VALUES (93, 'Nita', 'Nita@yahoo.com',
0x30383939313334353637, 'Jln Suparman ', '', '567');
INSERT INTO `member` VALUES (92, 'Muhammad Zidane',
'Zidane@yahoo.com', 0x30383133332313333436, 'Jln Gejayan', '',
'2006165');

```

```

-- Table structure for table `pengiriman`
--

CREATE TABLE `pengiriman` (
  `no_nota` int(5) NOT NULL auto_increment,
  `nama` varchar(50) NOT NULL,
  `alamat` varchar(100) NOT NULL,
  `id_kelurahan` int(5) NOT NULL,
  `tlp` varchar(18) default NULL,
  PRIMARY KEY  (`no_nota`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=5 ;

--
-- Dumping data for table `pengiriman`
--

INSERT INTO `pengiriman` VALUES (1, 'Robbin Reza Pahlevi', 'cokro',
114, '085646792698');
INSERT INTO `pengiriman` VALUES (2, 'Robbin Reza Pahlevi', 'cokro',
27, '085646792698');
INSERT INTO `pengiriman` VALUES (3, 'Robbin Reza Pahlevi', 'cokro',
27, '085646792698');
INSERT INTO `pengiriman` VALUES (4, 'Robbin Reza Pahlevi', 'cokro',
34, '085646792698');

```

```

-- Table structure for table `produk`
--

CREATE TABLE `produk` (
  `kd_produk` int(10) NOT NULL auto_increment,
  `id_kategori` int(10) NOT NULL,

```

```

`nama_produk` varchar(250) NOT NULL,
`harga` varchar(100) default NULL,
`stok` int(10) NOT NULL,
`deskripsi` text,
`foto` text,
PRIMARY KEY (`kd_produk`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=161 ;

-- 
-- Dumping data for table `produk`
-- 

INSERT INTO `produk` VALUES (130, 10, 'Sirloin Import', '35000', 195, 'Sirloin Import paling enak', 'steak-1.jpg');
INSERT INTO `produk` VALUES (133, 11, 'Ice Juice', '9000', 1000, 'Aneka Jus sia', 'cocktail-orange-juice-ice-cubes-decorated-leaf-mint-white-background-34683832.jpg');
INSERT INTO `produk` VALUES (159, 12, 'Kentang Goreng', '7500', 987, 'Kentang goreng kering', 'Cara-Buat-Kentang-Goreng.jpg');
INSERT INTO `produk` VALUES (157, 10, 'Chicken steak', '12500', 290, 'Steak tepung', 'chiken steak.jpg');
INSERT INTO `produk` VALUES (140, 11, 'Milkshake ', '8000', 147, 'Milkshake', 'images_029.jpeg');
INSERT INTO `produk` VALUES (143, 10, 'Blackpepper', '22500', 100, 'Originalsteak', 'images_014.jpeg');
INSERT INTO `produk` VALUES (146, 11, 'Cappuccino Float', '9000', 89, 'Cappucino', 'Foto0707.jpg');
INSERT INTO `produk` VALUES (145, 11, 'Orange Float', '11000', 975, 'Orange', 'Foto0708.jpg');
INSERT INTO `produk` VALUES (147, 10, 'Chicken Drum', '12500', 94, 'ayam drum stik', 'images_192.jpeg');
INSERT INTO `produk` VALUES (148, 10, 'Cordon blue', '15000', 31, 'Chicken cordon blue', 'Foto0712.jpg');
INSERT INTO `produk` VALUES (149, 10, ' Ayam Paprika', '10500', 97, 'Nasi ayam paprika', 'images_308.jpeg');
INSERT INTO `produk` VALUES (150, 10, 'Spageti', '9000', 91, 'Spageti', 'Foto0716.jpg');
INSERT INTO `produk` VALUES (158, 10, 'Chicken pepper', '16000', 149, 'Steak original', 'chiken pepper.jpg');
INSERT INTO `produk` VALUES (152, 11, 'Lemon tea', '6000', 147, 'Teh dengan rasa campuran jeruk lemon yang segar', 'Foto0705.jpg');
INSERT INTO `produk` VALUES (153, 10, 'Kakap Steak', '13500', 96, 'Steak ikan dengan ciri khas goreng tepung', 'images_173.jpeg');
INSERT INTO `produk` VALUES (154, 11, 'Milkshake jelly', '9500', 141, 'Milkshake memakai jelly', 'Milkshake jelli.jpg');
INSERT INTO `produk` VALUES (155, 10, 'Waroeng steak', '15500', 136, 'Steak goreng tepung', 'steak warung.jpg');

```

```

-- Table structure for table `transaksi`
-- 
```

```

CREATE TABLE `transaksi` (
  `no_nota` int(5) NOT NULL,
  `id_member` int(5) NOT NULL,
  `tgl_pesan` datetime NOT NULL,
  `ongkir` int(10) NOT NULL,
  `htotalbelanja` int(15) NOT NULL,
  `status_byr` char(5) NOT NULL default 'BELUM',
  `tgl_konfirmasi` datetime default NULL,
  `jmlbayar` int(50) NOT NULL,
  `pesan` varchar(10000) NOT NULL default '-',
  `status_kirim` char(5) NOT NULL default 'BELUM',
  `validasi` char(5) NOT NULL default 'BELUM',
  PRIMARY KEY (`no_nota`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- 
-- Dumping data for table `transaksi`
-- 

INSERT INTO `transaksi` VALUES (1, 97, '2015-02-23 16:39:21', 5000, 180000, 'SUDAH', '2015-02-23 16:39:57', 180000, 'Lia', 'SUDAH', 'SUDAH');
INSERT INTO `transaksi` VALUES (2, 97, '2015-02-23 17:15:35', 5000, 130000, 'BELUM', NULL, 0, '-', 'BELUM', 'BELUM');
INSERT INTO `transaksi` VALUES (4, 97, '2015-02-23 17:16:53', 5000, 130000, 'SUDAH', '2015-02-23 17:18:54', 130000, 'tio', 'SUDAH', 'SUDAH');

```

```

-- Table structure for table `transaksi_sementara`
-- 

CREATE TABLE `transaksi_sementara` (
  `id` int(12) NOT NULL auto_increment,
  `id_member` int(12) NOT NULL,
  `kd_produk` int(12) NOT NULL,
  `jumlah` int(12) NOT NULL,
  `tanggal` date NOT NULL,
  `harga` int(12) NOT NULL,
  `total` int(12) NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=4 ;

-- 
-- Dumping data for table `transaksi_sementara`
-- 
```